



### **2019** LINEUP

### POLARIS GENERAL 1000



100 HP PROSTAR ENGINE 600 LB. DUMPING BOX STANDARD HALF DOORS ELECTRONIC POWER STEERING (EPS) POLARIS LOCK & RIDE COMPATIBLE



AUTOMOTIVE PAINT MATTE BLACK CAST ALUMINUM WHEELS 27" MAXXIS CORONADO TIRFS SPORT LOW PROFILE FRONT BUMPER POLARTS HD 4500 LB WINCH



### PREMIUM PLUS:

LOCK & RIDE DUAL GUN BOOT 2 POLARIS® GUN BOOTS BY KOLPIN® POLARIS PURSUIT CAMO

### POLARIS GENERAL 1000 LIMITED EDITION



CUSTOM BREAKOUT CAMO GRAPHICS COLOR MATCHED SPORT LOW PROFILE -RONT BUMPER

COLOR MATCHED ROCK SLIDERS

### POLARIS GENERAL 1000 DELUXE



FOX PODIUM X 2.0 QS3 SHOCKS SPORT ROOF MTX PREMIUM SOUNDBAR CONVEX REAR VIEW MIRROR

### POLARIS GENERAL 1000 RIDE COMMAND EDITION



RIDE COMMAND 7" GLOVE-TOUCH DISPLAY FRONT & REAR WIRED CAMERAS

BLUETOOTH\* PHONE CONNECTIVITY

### POLARIS GENERAL 4 1000



AUTOMOTIVE PAINT

MATTE BLACK CAST ALUMINUM WHEELS 27" DIRT COMMANDER 8-PLY TIRES EOX" PODTLIM 2 O OS3 SHOCKS SPORT LOW PROFILE FRONT BUMPER

POLARIS HD 4500 LB. WINCH

### POLARIS GENERAL 4 1000 RIDE COMMAND EDITION



SPORT ROOF

MTX° PREMIUM 8 SPEAKER SOUNDBAR RIDE COMMAND 7" GLOVE-TOUCH DISPLAY

FRONT & REAR WIRED CAMERAS

BI UFTOOTH PHONE CONNECTIVITY CONVEX REAR VIEW MIRROR

### **2019** *POLARIS* **GENERAL ACCESSORIES**

PULARIS ENGINEERED	UE
WORK & EXPLORE	06
WINDSHIELDS & REAR PANELS	08
DOORS	10
ROOFS & PROTECTION	
RIDE COMMAND, POLARIS PULSE, AUDIO & CAB ACCESSORIES	14
LIGHTING	
STORAGE	
POLARIS NORTHSTAR COOLER	20
WHEELS & TIRES	22
WINCHES & PLOWS	28
PARTS & GARAGE	
OIL & LUBRICANTS	30
MAINTENANCE	32
GARAGE & TRAILERING	36
APPAREL & HELMETS	
RIDING GEAR	38
CASUALWEAR	40

### P\*LARIS\* ENGINEERED

## KEEP YOUR STANDARDS HIGH


DESIGNED

POLARIS OFFERS THE
BROADEST LINEUP OF
ACCESSORIES AND MOST
ACCESSORIES SOLUTIONS
INNOVATIVE SOLUTIONS
IN OFF-ROAD. EACH ONE IS
METICULOUSLY CRAFTED
MATCH YOUR MACHINE.
TO MATCH YOUR MACHINE.



TESTED

BY THE TIME YOU GET
THIS GEAR, PROTOTYPES
THIS GEAR, PROTOGH HELL
HAVE GONE THROUGH HELL
IN OUR LAB AND BEEN
EXTENSIVELY TESTED IN
THE FIELD. YOU RIDE WITH
100% CONFIDENCE.



### TRUSTED

WE'VE EARNED RIDERS'
TRUST OVER DECADES
AND WE STAND BEHIND
OUR WORK.



We choose our partners carefully, selecting only the best in off-road. Every accessory is rigorously tested and validated at Polaris standards, to ensure seamless integration and performance.



PRO ARMOR.







**LED LIGHTS** P.16



**OUTDOORS** 



ENGINEERED TO TAKE ON

THE ELEMENTS

PROFILE TUBE DESIGN

Contours built into the cage deliver the

best sealing surface in the industry.

A 360° gasket seal provides the tightest-sealing cab in the industry.

PERFECT SEAL

### LOCK & RIDE

### EASY ON 8

Adapt to your needs and environment with exclusive tool-less, easy-on, easy-off Lock & Ride components.



POLARIS GENERAL CABS PROVIDE THE INDUSTRY'S TIGHTEST SEAL

BETTER DUST SEAL

BUILD YOUR CAB SYSTEM STARTING ON P. 08



LUXURY
YOU HAVE TO
EXPERIENCE
TO BELIEVE

Our cab components create an experience enhancing interior, offering supreme comfort to your vehicle.



EFFORTLESSLY ADD **LIGHTS, HEAT, WIPERS & AUDIO**.

Be prepared for everything off-road riding & the elements throw at you.


A revolution in electrical accessory integration, the Polaris Pulse Electrical System allows for a simple plug & play approach for adding power to Polaris Engineered Accessories.





### SHIELD THE FRONT

CONTROL THE SWIRL



POLARIS GENERAL 4 17-19

POLARIS GENERAL 4 '17-19 **POLARIS GENERAL '16-19** 

» 2881110 POLARIS GENERAL 4 '17-19. » 2881111

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

Hard Coat Layer

REAR PANEL -GLASS TOP SELLER

POLARIS GENERAL 4 '17-19,

LOCK & RIDE **REAR PANEL - POLY** 

POLARIS GENERAL 4 '17-19, POLARIS GENERAL 116-19

### TIP-OUT WINDSHIELD - GLASS

POLARIS GENERAL 4 '17-19,

POLARIS GENERAL '16-19



adjustment system easily opens, providing



Offers fully-sealed or flipped-down venting options. Upper half detaches, leaving lower half for protection with




enhanced visibility in tough conditions

2881090 See page 15

### POLARIS ENGINEERED **ADVANTAGES**

installing a rear panel.



**AIRTIGHT GASKET SEAL** 

Add a windshield to change the airflow around your vehicle.

Turbulent air will form above the cargo bed and behind the

cab. This swirl can carry dirt, dust, leaves, and rain into the cab. Eliminate this phenomenon and control the swirl by


> Our windshields and rear panels feature 360° airtight gasket seals to keep drafts and moisture out of your cab.

LOCK & RIDE

### **REVOLUTIONARY** INSTALLATION

ADD A REAR PANEL TO REDUCE THE DUST SWIRL

Windshields and rear panels install easily and lock securely in place using Polaris Lock & Ride technology. Once installed, it removes easily and can be reinstalled without the need for any tools.



### GLASS VS POLY

Superior OPTICAL CLARITY for a clear view. Laminated safety glass provides automotive-level visibility.

> Curved to fit, seals tight, and is wiper ready.

Lightweight and flexible, POLY is NT, providing long-term value and protection. Guarantees a tight seal to keep out rain and dust.

Hard Coat options feature an extra layer on both sides of the poly, which provides **IORE** scratch resistance than regular poly windshields.

Polaris GENERAL comes equipped with half doors. To create an enclosed cab for increased protection from the elements, choose from two great Polaris options.



REPLACE EXISTING HALF DOORS WITH PREMIUM POLY FULL DOORS.

- Impact and scratch-resistant tempered glass
- Fully-sealed design keeps elements out for a premium in-cab environment

### **FRONT**

- Six-way glass window adjustability
- » 2883717

POLARIS GENERAL 4 '17-19 POLARIS GENERAL '16-19

- · Hinged window adjustability
- · Soft-touch, easy to clean premium interior liner



- Push-nut windows
- · Kit includes B-pillar cover seal
- » 2883082





### **PREMIUM FEATURES**

Automotive-like finish, cast handle,



### A PERFECT FIT FOR THE PERFECT SEAL

Polaris Engineered cab components nest perfectly into the contours of the cab frame with a 360° degree gasket seal.



ADD ZIP WINDOW UPPER DOORS TO STOCK HALF DOORS

- · Lightweight, UV-resistant construction
- Retention straps for increased strength

### FRONT

- POLARIS GENERAL 4 '18-19 POLARIS GENERAL '18-19

- · Zipper windows for increased venting options
- Mounts easily by drilling into stock doors (drill hole plugs included)

### REAR

POLARIS GENERAL 4 '18-19

### TAKE ON THE TERRAIN

Arm your Polaris GENERAL with Polaris Engineered bumpers and guards to take on any challenge. Engineered for easy, secure installation; providing added protection for lights, bodywork and suspension

### REAR BUMPERS

SPORT REAR BUMPER

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

**4-SEAT ROOFS** 

NEW PREMIUM ROOF - POLY

POLARIS GENERAL 4 '17-19

SPORT ROOF - POLY

» 2883781

POLARIS ENGINEERED ADVANTAGES

Protect yourself from the elements. The right roof

» 2881105

» 2883780

2-SEAT ROOFS

**ROOF - ALUMINUM** 

POLARIS GENERAL '16-19

POLARIS GENERAL '16-19

SPORT ROOF - POLY

PREMIUM ROOF - POLY

shields you from the sun and driving rain.



### **FOR THE PERFECT SEAL**

Polaris Engineered cab components nest perfectly into the contours of the cab frame with a 360° gasket seal



**COVERAGE** FOR YOUR CAB

INCLUDES PREMIUM ROOF I THER

### **PREMIUM FEATURES 8** QUIETER RIDE

Roof liners provide a clean look by hiding wiring, and absorb noise



### **KEEP MOISTURE** MOVING

Keep precipitation moving with integrated channels that direct

### A SPORT LOW PROFILE FRONT BUMPER

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

SPORT UPPER FRONT BUMPER

**EXPANSION ANCHOR MOUNTS** 

OF ROCK SLIDERS AND BUMPERS WITHOUT

DAMAGING THE VEHICLE'S FRAME.

TOUGH EXPANSION ANCHOR MOUNTS DESIGNED

FOR POLARIS GENERAL ALLOW FOR QUICK INSTALL

### HMW A-ARM GUARDS - FRONT

A-ARM GUARDS

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

HMW A-ARM GUARDS - REAR

» 2880171 POLARIS GENERAL 4 '17-19 POLARIS GENERAL '16-19

### UNEXPANDED

EXPANDED

### LOW PROFILE STEEL ROCK SLIDERS

ROCK SLIDERS / NERF BARS

POLARIS GENERAL '16-19 **EXTREME KICK-OUT** STEEL NERF BARS

» 2-SEAT • 2881101

» 2881102

POLARIS GENERAL '16-19 » 4-SEAT • 2881992

POLARIS GENERAL 4 '17-19



### PULSE Green

DEFROST SYSTEM

POLARIS GENERAL 4 '17-19,

POLARIS GENERAL '16-19

PÜLSE

WINDSHIELD WIPER & WASHER SYSTEM

» 2881 ngn

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

CONVEX REAR VIEW MIRROR

> » 2881540 POLARIS GENERAL 4 '17-19,

POLARIS GENERAL '16-19

PULSE Betrick System

AVAILABLE IN FALL **MULTI-FUNCTION** CAB LIGHT

· Multi-color functionality

· Removable to use

as flashlight #NEW#

» 2884047

POLARIS GENERAL 4 '19, POLARIS GENERAL '19

POLARIS GENERAL 4 '17-18 POLARIS GENERAL '16–18

Not compatible with 2881105 Roof

### FLOOR MATS

» 2881934

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

POLARTS REMOTE GARAGE DOOR OPENER BY HOMELINK®

POLARIS GENERAL 4 '17-18

MTX<sup>®</sup> PREMIUM SOUNDBAR

CAB COMFORT

- Fully-sealed, injectionmolded enclosure with marine-grade components
  - 8 Speakers, 100-Watt
  - Bluetooth® connections
  - Not compatible with Ride Command (Need 2883803 Ride Command MTX® Soundbar with Mount Kit)
  - » 2881115 POLARIS GENERAL 4 '17-19,

POLARIS GENERAL '16-19



8-VENT HEATER &

» 2881316







AVAILABLE IN FALL

· Required to easily add

electric components

POLARIS GENERAL 4 '19, POLARIS GENERAL '19

» 2883785

POLARIS PULSE LED

LIGHT BAR HARNESS

provide power to your vehicle, and makes adding electrical accessories a snap. Light bars, audio or other cab accessories are easier to install.

**POLARIS PULSE IS A REVOLUTIONARY** way to

MADE EASY WITH PLUG & PLAY

• To install accessories, simply plug the harness into the Polaris PULSE hub

POLARIS ENGINEERED ADVANTAGES

**NEW** INTRODUCING

**Electrical System** 

P@LARIS

- · No need to remove nuts and stack wire terminals like a three-post terminal setup
- · By plugging in your accessories, a secure connection is guaranteed every time

Look for to identify Polaris PULSE ready accessories.

### THE FOLLOWING ACCESSORIES EASILY

MTX® Premium Sound Bar 8-Vent Heater & Defrost System Windshield Wiper & Washer System All RIGID® & Pro Armor Light Bars

### PLUG INTO THE FACTORY INSTALLED **POLARIS PULSE UNDER THE HOOD:**

At right P. 16

### \*\*Requires in-helmet communication

» WITHOUT RIDE COMMAND

POLARIS GENERAL 4 '17-19

POLARIS GENERAL '16-19

MTX® SOUNDBAR

» 2883804

» 2884002

POLARIS GENERAL 4 '19,

TOTAL COMMAND CENTER FOR A WORLD OF CONNECTION AT

MEDIA PLAYER W/ BUILT IN AM/FM TUNER FOR ALL YOUR

BUDDY TRACKING AND SHARE YOUR RIDE USING THE RIDE COMMAND MOBILE APP\*

RIDE COMMAND 7" DISPLAY | NIVE

• 7" High Bright Touchscreen visible in

Displays critical vehicle information

· Media player w/ built in AM/FM tuner

· Buddy tracking and share your ride

for fuel level, coolant temp and

HOLD A CONVERSATION
 WITHOUT SHOUTING AND
 SEE CALLS/TEXTS\*\*

BUILT IN GPS WITH TOPOGRAPHY MAPS TO SEE YOUR LOCATION

YOUR FINGERTIPS

**AND PLAN YOUR RIDE** 

**FAVORITE MUSIC** 



\* P&LARIS

accessory components

**» WITH RIDE COMMAND** 

POLARIS GENERAL 4 '17-19,

POLARIS GENERAL '16-19

MTX° SOUNDBAR

» 2883803

· Includes front & rear cameras

RIDECOMMAND®

• Mount Ride Command seamlessly into the dash for perfect fit & finish

· Comes with wiring harnesses needed for Polaris GENERAL and

RIDE COMMAND MOUNT KIT

\*DOWNLOAD THE RIDE COMMAND® MOBILE APP

REVOLUTIONIZING THE OFF-ROAD

EXPERIENCE

N PÜLSE €

 Dedicated shortcut buttons for quick access to features

Front and rear camera support for better visibility on and off trail

Bluetooth and USB smart

phone connectivity

### **ADVANCED** TECH

LIGHT BAR TYPES

RIGID® lights are driven by Aluminum PCB Smart Boards®, 6063-T5 aircraft aluminum extruded housings and Tiger Drylac® UV protection polyester powdercoating.

**EXCLUSIVE** OPTICS

RIGID® invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

POLARIS ENGINEERED

ADVANTAGES

ECE

roof or other mounting point

### CERTIFIED

to mount perfectly to your Polaris Engineered bumper,

### **D-SERIES PRO**

Compact to fit almost anywhere with high output and low energy usage. Available in Driving, Flood & Spot

### RUGGED CONSTRUCTION

TRUSTED

to not overtax

your machine

TESTED

for maximum

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.

**DUAL-ROW LED LIGHT BARS** 

The most spread and farthest illumination

Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm

downrange. Easy to mount.

### MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.



PRO ARMOR.

### **SINGLE-ROW LED LIGHT BARS**

Powerful, compact, low-profile light bars with sleek look.

Available in 27.9 cm, 83.8 cm & 101.6 cm

ECE

CERTIFIED

### **CUBE LED LIGHTS**

Small size allows mounting in strategic locations for added lighting. Available in Flood & Spot

### LIGHT BAR OPTIONS

**SR-SERIES PRO** 

Available in 25.4 cm & 81.3 cm

Sleek, powerful, low-profile (under 5 cm tall).

Lights extreme distances with low energy usage.



### **BUILD YOUR VISION**

Consider the Optics, Angle & how you will use your vehicle to choose the right light or set of lights.



### (25°/10°) ACCENT

### ADD A HARNESS TO MOUNT YOUR LIGHTS

	LIGHT BAR SET-UPS								
MODEL	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 2 SWITCHES						
<i>2014-2018</i> All models	LIGHT BAR HARNESS 2883486	LIGHT BAR HARNESS 2883486 Y-HARNESS 2879860	LIGHT BAR HARNESS 2881678						
<i>2019</i> All models	NEW POLARIS PULSE LED LIGHT BAR HARNESS 2883785	POLARIS PULSE LED LIGHT BAR HARNESS 2883785 Y-HARNESS 2879860	NEW POLARIS PULSE LED LIGHT BAR HARNESS (x2) 2883785						

⚠ No battery connection cables required on any model/model year Polaris GENERAL'

All Rigid" and Pro Armor lights are Polaris Pulse ready.

### TRAILBLAZER LED HEADLIGHTS

Adjust	able b	eam	pattern	(outer	t۷
liahts)	from s	spot '	to flood		

6,000 Lumen total output; 20-watt CREE® XHP LED Chips

• Integrated LED daytime running light • Waterproof, dustproof, fade resistant

» BLACK BEZEL • 2882073 Polaris general 4 '17-18, Polaris general '16-18

### **TRAILBLAZER** HEADLIGHT COLORED BEZEL

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

COLOR	2-PACK
RED	2882479-293
WHITE	2882479-133
RAW	2882479
BLUE	2882479-689

### **ACCENT LIGHTING**

### **ACCENT LIGHTS**

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

COLOR	PN	
RED (SET OF 4)	2880500	
BLUE (SET OF 4)	2880506	
RED (SINGLE)	2880532	
BLUE (SINGLE)	2880533	

POLARIS GENERAL 4 '17-19, **POLARIS GENERAL '16-19** 

### LOCK & RIDE D-RINGS

» 2881545 POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

LOCK & RIDE

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19





P. 21

KOLPIN STRONGHOLD® MOUNT

KOLPIN STRONGHOLD AUTO-LATCH DOUBLE BOOT MOUNT

KOLPIN STRONGHOLD® CASES

KOLPIN STRONGHOLD

» XL TRANSPORT • 2882430\*

POLARIS GENERAL 4 '17-19,

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

POLARIS GENERAL 4 '17-19, **POLARIS GENERAL '16-19** 

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

KOLPIN STRONGHOLD®

KOLPIN STRONGHOLD® ICE ROD BOOT

KOLPIN STRONGHOLD ICE AUGER/ POP-UP BLIND BOOT

POLARIS GENERAL '16-19

» L IMPACT • 288242\*

PISTOL BOOT » 2882429\*

**GUN BOOTS** 





LOCK & RIDE SPARE TIRE CARRIER

» 2881529 POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19



**BEHIND SEAT** STORAGE BAG

» 2882164 POLARIS GENERAL'16-19



IN-DASH STORAGE BAG

» 2882165 POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

### FIRE EXTINGUISHER HOLDER NOT SHOWN

» 2882158 POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19 Fits most 3.25" fire extinguishers

### KOLPIN RHINO GRIPS® IDEAL FOR BOWS & UNCASED GUNS

We would like to thank our partners Browning and Mathews for helping to deliver a successful and

safe off-road experience when out in the field.

BROWNING

GENERAL



LOCK & RIDE RATCHETING RHINO GRIP®

» 2881575

**OUTDOORS** 

POLARIS GENERAL 4 '17-19, **POLARIS GENERAL '16-19** 



LOCK & RIDE RHINO GRIP® PRO

» 2884107

POLARIS GENERAL 4 '17-19. **POLARIS GENERAL '16-19** 



PROTECT THE GEAR YOU NEED.

LIVE THE LIFE

YOU LOVE.

LOCK & RIDE

POLARIS GENERAL 4 '17-19,





RHINO GRIP® XL

» 2881574

POLARIS GENERAL 4 '17-19, **POLARIS GENERAL '16-19** 

LOCK & RIDE RHINO GRIP® XL DOUBLE

2884108

**POLARIS GENERAL '16-19** 



RHINO GRIP® XL REPLACEMENT RUBBER STRAPS

» 2881621

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19



RHINO GRIP® PRO RUBBER STRAPS

POLARIS GENERAL 4 '17-19. POLARIS GENERAL '16-19





LOCK AND

LOAD IT

LOCK & RIDE

### **REVOLUTIONARY INSTALLATION**

Available on all Polaris vehicles, Lock & Ride accessories allow for a quick reconfiguration between work and adventure. With the flip of a lever, Lock & Ride plungers use downward pressure to expand for a secure fit.







Heavy duty webbing

4536 kg Maximum Load / 1497 kg Working Load

Floating D-Rings

• Double J-Hooks



### POLARIS NORTHSTAR® COOLER ACCESSORIES



### WIRE BASKET

» 99 LITER • 2883648

#N=W

\_NEW\_


- » 57 LITER 2882185
- » 28 LITER 2882438





### **DIVIDERS**

- » 99 LITER 2883468 COMES WITH ONE DIVIDER
- » 57 LITER 2882184 COMES WITH TWO DIVIDERS
- » 28 LITER 2882186 COMES WITH ONE DIVIDER







### SEAT CUSHION

- » 57 LITER 2882179
- » 28 LITER 2882507

### COOLER WHEELS

- » 57 LITER 2882180
- BOTTLE OPENER

### 99 LITER **57 LITER** 14 LITER NINE 19 LITER SOFTSIDE 28 LITER

### 28, 57 & 99 LITER FEATURES

» GRAPHITE • 2883426

» DESERT • 2883392

POLARIS NORTHSTAR® COOLER









POLARIS NORTHSTAR COOLERS can survive just about

anything - from extreme heat to a nasty tumble off a vehicle. So when we say ice will stay cold for hours on end and anything inside will stay locked up tight, we mean it.



» GRAPHITE • 2883425

» DESERT • 2881259

KEEP IT





» GRAPHITE • 2883424

» DESERT • 2881315







» GRAPHITE • 2883968

### **TUMBLERS**

» GRAPHITE • 2883390

- » 887 mL 2883394
- » 591 mL 2883393





» 2882187

ALL COOLERS AND POLARIS GENERAL CARGO BOXES



3.8 cm x 4.6 m 2495 kg RATCHET STRAP

- Heavy duty webbing
- 2495 kg Maximum Load /831 kg Working Load
- » 2884031



» 2884032

### 

Each wheel and tire Pro Armor designs for off-road vehicles performs perfectly in the intended environment for its intended use. Developed, tested, and produced in partnership so you can tackle the terrain ahead with Polaris.

### TRIPLE-BELTED SIDEWALLS

- Sidewalls are the most vulnerable puncture area of any off-road tire
- Pro Armor makes tires with extra protection exactly where it's needed most - the sidewall

### 8 or 10-PLY

- Pro Armor builds the toughest tires
- Higher ply ratings mean added protection

### INNOVATION

### **DUAL DUROMETER LUGS** (Crawler XG & Attack 2.0)

- Firm durometer rubber on base of lug for stability
- · Soft durometer rubber on top of lug for sticky grip

### **DUAL COMPOUND TREAD** (Dual-Threat)

- · Firm durometer rubber on center of tread for long wear life
- Soft durometer rubber on shoulders of tread for superior grip

### 4,828+ km RATED

Pile on the kilometers with Pro Armor tires. Every tire is designed and constructed with longevity in mind. With ratings of and beyond, you are assured long life and performance.

### KNOW YOUR TIRES

DIMENSIONS 28" × 9" R14

TIRE TIRE WHEEL HEIGHT WIDTH DIAMETER

TREAD DEPTH means more grip in all conditions

for improved vehicle puncture-resistance

SIDEWALL BELTS Increase your resistance to sidewall punctures

TIRE: DUAL-THREAT

Tires with higher load ratings can handle more weight

WHEEL: BUCKLE ACCENT

### BACKCOUNTRY/TRAIL



### PRO ARMOR DUAL-THREAT

- · Dual-compound technology and radial construction
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased.

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	<b>26" × 9" R14</b> 5416340	FRONT		12 kg			413 kg

26" × 11" R14 **503** kg 503 kg 29" × 11" R14 16 kg 599 kg

EEL SIZE

### **DUAL-COMPOUND = MORE GRIP + LONGER LIFE**

Firmer Durometer Rubber = Longer Life



Softer Durometer Rubber = More Grip

FRONT / REAR

### **PRO ARMOR** ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- · Tight thread pattern for a quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	<b>28" × 10" R15</b> 5416344	FRONT/ REAR	25mm	15 kg	8	3	503 kg



### **PRO ARMOR ATTACK**

- · The best all-purpose tire for all-season traction in any terrain
- · Unique, full-face tread design
- · Harder durometer lugs promote extended wear, increasing tire life
- · Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	<b>26" × 9" R14</b> 5415613	FRONT	13 kg		_	413 kg	
14"	<b>26" × 11" R14</b> 5415614	REAR	23 <sub>mm</sub>	15 kg	8	3	599 kç

FRONT / REAR

### **ATTACK** • Tighter Tread Pattern =

ATTACK 2.0

- Dual-Durometer Lug =
- in rough terrain, smoothe
- 10-Ply Rated = increased durability
- · Larger Size Offering in 28" = more ground clearance & trail traction



14"



### **PRO ARMOR DAGGER**

MUD

- · From the trails to the pits, this tire gets you through it all
- · Deep, self-cleaning lug and wide tire design for exceptional
- · Rounded profile and full lug pattern for on-trail comfort

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATIN
14"	27" × 9" R14 5415617	FRONT	38 <sub>mm</sub>	15 kg	_		503 k
14"	27" × 11" R14 5415618	REAR		18 kg	8	3	531 k

UTILITY





**PRO ARMOR CRAWLER XR** 

SIDEWALL RATING BELTS

RATING **517** ka

· Wanna race? This tire grips it all from the trail to the rocks

• A tougher durometer than the XG to take on the toughest

· Square block profile for even surface contact

the trail has to offer

### FRONT / REAR

### XR

### SINGLE DUROMETER

- Smaller lug height and single durometer gives this high-speed tire added rigidity and lateral stability when cornering
- Unique lug design excels in





### FRONT / REAR

HEEL SIZE

### PRO ARMOR CRAWLER XG

· Big or small, these tires crawl them all

THE PART OF THE PA

- · A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- · 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	<b>28" * 10" R15</b> 5416346	FRONT/ REAR	20mm	15 kg	8	3	503 kg



### XG

### **DUAL-DUROMETER**

- Taller lug height and dual-durometer construction
- Perfect balance between high-speed performance, durability and flex in order to grip slick rock











### **PRO ARMOR HARVESTER**

- · All-around work horse with tread life of 5,000 miles
- Tread pattern designed to withstand anything from the farm yard, to the pastures to the trail
- With 10-Ply it can carry the load day-in and day-out
- 28" × 10" R14 FRONT/REAR 5416347 27" × 10" R14 • FRONT/REAR • 5415965
- 26" × 8" R12 FRONT 5416396 26" × 10" R12 REAR 5415966

		DEPTH	WEIGHT	RATING	BELTS	RATING
26R12	FRONT		11 kg			388 kg
SOKIS	REAR		15 kg			615 kg
27R14	FRONT/ REAR	16mm	15 kg	10	3	599 kg
28R14	FRONT/		15 kg			630 kg



		TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
26R12	FRONT		11 kg			388 kg
SOKIS	REAR	16mm	13 kg	10	3	599 kg
27R14	FRONT/ REAR		13 kg			599 kg

### THAIL THAIL

FRONT / REAR






FRONT





### **PRO ARMOR PRESERVE**

- Turf-friendly for areas where low-impact tire tread is needed
- Rounded profile and special tread pattern to limit footprint



		TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
26R12	FRONT		11 kg	10	3	388 kg
SOKIS	REAR	16mm	13 kg			599 kg
27R14	FRONT/ REAR		13 kg			599 kg

### • 26" Aramid fiber-belted tire to tackle any terrain

· Unique full-face tread design


XD-K

X SON

**PRO ARMOR** 

Harder durometer lugs promotes for extended wear increasing tire life

FRONT / REAR



	TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	RATIN
FRONT	01 7	13 kg	_	3/1	388 I
REAR	31.7mm	15 kg	8	Aramid	499 H

WINDSHIELDS & REAR PANELS
























### AMPLIFY O

FRONT WEIGHT:  $5.9~\mathrm{kg}$  | Load rating:  $408~\mathrm{kg}$  | offset: -9REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: +4

FRONT 14" × 7" • 1522956-266 ACCENT: REAR 14" × 8" • 1522957-266

MATTE BLACK: FRONT 14" × 7" • 1522956-458 REAR 14" × 8" • 1522957-458

### BUCKLE O

FRONT WEIGHT: 5.8 kg | LOAD RATING: 408 kg | OFFSET: +4

REAR WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: -9 FRONT 14" × 7" • 1522544-266 REAR 14" × 8" • 1522545-266

MATTE BLACK: FRONT 14" × 7" • 1522544-458 REAR 14" × 8" • 1522545-458

### © COMBAT (BEADLOCK RINGS INCLUDED)

WEIGHT: 7.3 kg | LOAD RATING: 729 kg | OFFSET: +38

14" × 7" · 1523283 MATTE BLACK: 14" × 7" · 1523284

### ■ REBLR ○ (REQUIRES BEADLOCK RINGS)

WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.6 kg | LOAD RATING: 590 kg | OFFSET: -9

FRONT 14" × 7" • 1522238-458 REAR 14" × 8" • 1522239-458

### **SHACKLE** O

FRONT
WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT:  $6.4~\mathrm{kg}$  | Load rating:  $590~\mathrm{kg}$  | offset: -9

FRONT 14" × 7" • 1522546-266 REAR 14" × 8" • 1522547-266 MATTE BLACK: FRONT 14" × 7" • 1522546-458 REAR 14" × 8" • 1522547-458

### **□** SIXR ○

FRONT
WEIGHT: 4.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT:  $5.7~\mathrm{kg}$  | Load rating:  $590~\mathrm{kg}$  | offset: -9

MATTE BLACK: FRONT 14" × 7" • 1521507-521 REAR 14" × 8" • 1521508-521 FRONT 14" × 7" · 1521507-410 REAR 14" × 8" • 1521508-410

### **© CYCLONE**

WEIGHT: 7.8 kg | LOAD RATING: 590 kg | OFFSET: +4

15" × 7" · 1523184-266 ACCENT: **MATTE BLACK:** 15" × 7" ⋅ 1523184-458

(BEADLOCK RINGS INCLUDED)

WEIGHT: 7.7 kg | LOAD RATING: 726 kg | OFFSET: +38

15" × 7" · 1523282 MATTE BLACK: 15" × 7" · 1523266

### WYDE O

WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: +55

15" × 7" · 1522550-266 MATTE BLACK: 15" × 7" · 1522550-458

### FLARE

WEIGHT: 8.1 kg | LOAD RATING: 590 kg | OFFSET: +4

15" × 7" • 1523102-266 ACCENT: MATTE BLACK: 15" × 7" · 1523102-458

O LUG NUTS REQUIRED







	14" FORGED BEADLOCK Only used on REBLR	K RINGS PART#
)	Voodoo Blue	1522244-619
)	Machined	1522244-266
)	White	1522244-133
)	Indy Red	1522244-293
)	Orange Crush	1522244-589
)	Matte Black - Replacement Only used on Combat	1523146-458
	Cold individually	



EVERY 15" SET FITS ALL POLARIS GENERAL MODELS POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

### WHEEL 8 TIRE SETS

TIRES WHEELS	ATTACK 26" 4828 km	DAGGER 27" 4828 km	DUAL-THREAT 26" 4828 km	DUAL-THREAT 29" 4828 km	PRESERVE 27" 8047 km	PRO ARMOR HARVESTER 27" 8047 km	PRO ARMOR HARVESTER 28" 8047 km	CRAWLER XR 28" 4828 km
AMPLIFY O Accent	2882390	2882392	2883138	2883146	2883208	2882388	2883225	2882394
AMPLIFY O Matte Black	2882391	2882393	2883139	2883147	2883209	2882389	2883226	2882395
BUCKLE O Accent	2881335	2881337	2883140	2883148	2883203	2882383	2883220	2881343
BUCKLE O Matte Black	2881336	2881338	2883141	2883149	2883204	2882384	2883221	2881344
COMBAT Accent BEADLOCKS PRE-MOUNTED			2883217	2883219				2883213
COMBAT Matte Black BEADLOCKS PRE-MOUNTED			2883216	2883218				2883212
REBLR Matte Black BEADLOCKS SOLD SEPARATELY	2881381	2881383						2881386
SHACKLE Accent	2881347	2881349	2883142	2883150	2883205	2882385	2883222	2881355
SHACKLE  Matte Black	2881348	2881350	2883143	2883151	2883206	2882386	2883223	2881356
SIXR O	2881359	2881362						2881371
SIXR O Matte Black	2881360	2881363	2883144	2883152	2883207	2882387	2883224	2881372

EVERY 14" SET FITS ALL POLARIS GENERAL MODELS POLARIS GENERAL 4 '17-19,

### 15 SETS

TIRES WHEELS	ATTACK 2.0 28" 4828 km	CRAWLER XG 28" 4828 km
CYCLONE Accent	2883160	2883188
CYCLONE Matte Black	2883159	2883187
FLARE Accent	2883158	2883186
FLARE Matte Black	2883157	2883185
HALO Accent BEADLOCKS PRE-MOUNTED	2883162	2883190
HALO Matte Black BEADLOCKS PRE-MOUNTED	2883161	2883189
WYDE Accent	2883156	2883184
WYDE O Matte Black	2883155	2883183

### 12MM × 1.5 SPLINED LUG NUTS O LUG NUTS

16 SPLINED LUG NUTS WITH WRENCH ADAPTER	ALL POLARIS GENERAL MODELS	2879332
4 SPLINED LUG NUTS WITHOUT WRENCH		2879331
12MM x 1.5 SPLINED LUG WRENCH	MODELS	2204966

### REPLACEMENT CAPS

### POLARIS

LUSTER AMPLIFY, BUCKLE, COMBAT. CYCLONE

SHACKLE, SIXR BLACK

1521509-410

### PRO ARMOR

LUSTER	AMPLIFY, BUCKLE, COMBAT, CYCLONE,	5453209-410	
MATTE BLACK	FLARE, HALO, REBLR, SHACKLE, SIXR	5453209-458	
MATTE BLACK	WYDE	1523063-458	

O LUG NUTS REQUIRED

### TRACKS



### PROSPECTOR PRO® TRACK SYSTEM

- Polaris exclusive optimized hub geometry minimizes feedback and eases steering effort
- Flexible lug design provides the highest level of deep snow performance by lifting up in deep snow as opposed to digging down
- Lightweight design with slight weight reduction over Camoplast' kit provides for better flotation, eases steering effort, and provides better vehicle control

### PROSPECTOR PRO® TRACK MOUNTS

- Install this track system mounting hardware in place of tires and wheels. Tracks sold separately

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

### PROSPECTOR PRO® TRACK

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

If using Glacier Pro Plow System with tracks, Track Plow Extension is required (2880267)

PRO HEAVY DUTY SERIES

INDUSTRY 1<sup>ST</sup> TECHNOLOGY





- 1. Set Winch Dial to FREE SPOOL (N) to attach Winch Hook
- 2. Set Winch Dial to PULL (L) for Winch Mode
- 3. Set Winch Dial to ROPE RECOVERY (H) for 5x Faster Rope Recovery


INTEGRATED WIRING TNCLLINED SEALED PERMANENT

PREMIUM SYNTHETIC ROPE

- Lightweight & Easy to Handle
- Superior Flexibility



### **AUTO STOP TECHNOLOGY**



Auto Stop Technology stops winch at end of pull to prevent driveline stress



**HEAVY DUTY SERIES** 

3 ADD CABLES

Polaris GENERAL

'16-'18 Requires 2882373











1 FIND YOUR MACHINE

POLARTS GENERAL 4 19 POLARIS GENERAL '19

POLARIS GENERAL 4 '17-18

RAPTO ROPE RECOVERY

AUTO STOP TECHNOLOGY

WINCH LINE

FAIRLEAD

- · Greater Strength than Steel Cable
- •15 m Long



### 3 STEPS FOR ADDING A WINCH:

2 CHOOSE BETWEEN POLARIS PRO HD OR POLARIS HD WINCH

PRO HEAVY DUTY SERIES HEAVY DUTY SERIES

2041 kg

1588 kg

2883860

AVAILABLE IN FALL

**CUT STEEL GEARS &** 

SEALED DRIVETRAIN

HOOK WITH STRAP

2882239

2882477 2882476

OPTION

STEEL CABLE

STANDARD

2041 kg

AVAILABLE IN FALL

NEW

2883861

SYNTHETIC

STEEL ROLLER WIRELESS STANDARD WIRED

### **UPGRADE** YOUR POLARIS HD WINCH WITH THESE ACCESSORIES

### **POLARIS WIRELESS** WINCH REMOTE

- · Allows for remote operation of
- Up to 15 m range with LED indicator
- WORKS WITH 2882476, 2882477, 2883860 POLARIS GENERAL '16-19

### SYNTHETIC

- 2041 kg WINCH SERIES
- » 2879187
- 1588 kg WINCH SERIES POLARIS GENERAL '16-19

- » 2041 kg 2881288 » 1588 kg • 2881289

### **AUTO STOP TECHNOLOGY**

- Machined from billet aluminum and weighs less than common steel fairleads
- · Installs easily in place of stock fairlead
- Requires synthetic winch rope (not included) (not compatible with steel cable)

### DASH SWITCH

- » 2882373 POLARIS GENERAL 4 '17-19 REQUIRED ON ABOVE
- MODELS TO ADD WINCH » 4-SEAT • 2879685 POLARIS GENERAL 4 '17-19 REQUIRED ON ABOVE MODELS TO ADD WINCH

WINCH

WIRING KIT

» 2-SEAT • 2879388

POLARIS GENERAL '16-19

MODELS TO ADD WINCH

REQUIRED ON ABOVE

### **GLACIER® PRO HD GIVES YOU**

PUSH FOR MORE

»183 cm OR 168 cm Blades » Choice of poly or steel » Manual angle system standard

## \*FLACIER



THERE'S A REASON

THESE ARE THE BEST WINCHES ON THE MARKET.

sealed to keep out water, dust and other debris.

TESTED 1,200+ PULLS AT MAX LOAD IT WORKS WHEN YOU



SEALED MOTOR & HEAVY DUTY GEARS

OPERATE FULLY SUBMERGED **UNDERWATER** 



BUILT TO WITHS TAND -29°C TEMPERATURES



### MAKE OUICK WORK OF **SMALLÈR JOBS** Move snow with the robust and

capable Glacier® HD plow system, and discover why a major snowfall can be the highlight of your week. With a robust frame, beefy poly and steel blade options, convenient Lock & Ride mounting and dismounting and amazing value, Glacier® HD is a great choice in the dead of winter.

B cm POLY BLADE R CORROSION RESISTANCE	183 cm STEEL BL Best for Big Jobs Year A		BLADE MATERI Durable poly and steel blades are designed to more. Choose a steel l for longevity and incre rigidity or a lightweigh non-stick, poly blade t easier on plowing surf	p push blade eased at hat's
STEP 1 SELECT A MOUNT	STEP 2 SELECT A FRAME	STEP 3 SELECT A	LIFT METHOD	SELE

### rfaces.

	SELECT A MOONT	SELECT ATTIANTE	SEEEO! A EI! I W
MODELS	MOUNT	FRAME	WINCH
POLARIS	2881763	2880260	Polaris PRO HD 2

**GENERAL** 4'17-19,

**POLARIS GENERAL** 16-19

2041 kg Winch 2883861 POLARIS GENERAL 4 '19,

POLARIS GENERAL '19 Polaris PRO HD 2041 kg Winch 2882239

POLARIS GENERAL 4 '17-18.

POLARIS GENERAL '16-18

**BLADES** 183 cm Steel 2880270

168 cm Poly 2880269

> 168 cm Steel 2880268

### SELECT ACCESSORIES

**ACCESSORIES** 183 cm Blade Snow Deflector 2858541

183 cm HD Wear Bar 2879875 183 cm Wear Bar 2204976

168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868

168 cm Wear Bar 2879867 Plow Marker 2872726 Skid Shoe 2205071 Shear Pin 2205527

**Extension for Tracks** 2880267

### **GLACIER® HD GIVES YOU**

**GENERAL** 

'16-19

П

»168 cm Blades » Choice of poly or steel » Manual angle system standard

### 168 cm POLV BLADE

168 cm STEEL BLADE

	SELECT A MOUNT	SELECT A FRANCE	SELECT A LIFT METHOD
MODELS	MOUNT	FRAME	WINCHES
POLARIS GENERAL	2883256	2882927	<b>Polaris PRO HD 2041 kg W</b> 2883860
4 '17-19,			POLARIS GENERAL 4 '19, POLARIS GENERAL '19
POLARIS			Polaris HD 2041 kg Winch

Polaris HD 2041 kg Winch 2882477

Polaris HD 1558 kg Winch

### SELECT A BLADE SELECT ACCESSORIES **ACCESSORIES**

168 cm Poly

168 cm Steel

2880268

### 168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868

168 cm Wear Bar 2879867 Plow Marker 2872726

Shear Pin 2205527

### Skid Shoe 2205071



### SPECIFIC NEEDS, SPECIFIC OILS

Polaris invests millions in engine development, and part of that investment is making sure its lubricants-critical to engine performance-are the right formula for your specific engine. The amount of testing data and engineering resources used in developing Polaris lubricants would overwhelm an aftermarket company. Therefore, the aftermarket must spec an oil to an industry-wide standard that must account for a variety of operating parameters.

PS-4 is designed specifically for Polaris 4-cycle engines and has high film strength and wear protection under extreme loads and temperatures. Exclusive anti-wear additives protect engine parts with extra rust and corrosion protection.

**PS-4 EXTREME-DUTY** 

**FULL-SYNTHETIC OIL** 

» 1L·2879037

» 4L • 2879251

» 25 L • 2879252

» 60 L • 2879003

» 200 L • 2879038

PS-4 Extreme Duty is optimal for ambient operating temperatures of -18° C to 53° C

### PS-4 FULL-SYNTHETIC OIL

- PS-4 is optimal for ambient operating temperatures of -40° C to 38° C
- » 1L·2877263
- » 4L 2877264
- » 25 L 2877868
- » 60 L 502338
- » 200 L 2878003

### **PS-4 OIL CHANGE KIT**


- · Contains the correct amount of oil for your vehicle and correct oil filter
- » 2202166
- SINGLE 570, TWIN 600, TWIN 700, TWIN 800
- » 2879323 RANGER/RZR 900/1000
- » 2880913
- POLARIS ACE/ETX 325
- » 2877473
- 330500, SPORTSMAN 550/850/1000

THE COMPETITION

POLARIS® PS-4

ULTIMATE

Polaris PS-4 oils exceed the latest industry protection standard as set by the API, while the ietary additives clean and protect critical engine parts under high operating temperatures



When tested against competitive oils, camshaft bearing races and lobes exhibit less wear when protected by Polaris PS-4 oil.

### 25% BETTER PROTECTION AT HIGH TEMPS

PS-4

protection

cams and



WHY VISCOSITY MATTERS: Polaris engines are designed to operate using oils rated at a specific viscosity. Viscosity is the measure of an oil's oil's "film strength", which is a critical component in preserving engine life when an oil is subject to high heat or heavy loads.

### **ENGINEERED TO MAXIMIZE** THE LIFE OF YOUR RIDE

All Polaris fluids—from anti-freeze to brake fluid—are developed for your vehicle. Trust the only fluids perfectly engineered for your needs.

### Polaris DOT 4 Brake Fluid is a high-quality brake fluid consistent, positive braking. » 250 mL • 502081 **ANTI-FREEZE** Polaris Extended Life Coolant contains organic acid

designed for use in Polaris hydraulic brakes. Superior high-temp characteristics plus anti-corrosive additives extend the life of brake system components and provide

**DOT 4 BRAKE FLUID** 

technologies to prevent corrosion on metal components. eliminate scaling, and maximize cooling system performance.

- » 1 L 502103
- » 25 L 502271
- » 206 L 502091

### AGL

A proprietary blend of additives designed to optimize Polaris® ORV transmission life. Extreme pressure additives protect gears, drive chain, and bearings from scoring and wear. Unlike typical gear case oils, AGL's unique viscosity range allows instant flow and film protection in extreme cold or

- » 1 L 502080
- » 200 L 502151
- » 25 L 502152

### **DEMAND DRIVE FLUID**

Engineered specifically for Polaris ORV front drive systems. Provides positive 4WD engagement in extreme cold or high heat conditions. Unique friction additives protect internal components under heavy loads and promote positive engagement.

- » 1 L 502094
- 200 L 502264
- 25 L 502267

Proper lubricant application and timing will ensure optimal vehicle performance. Please refer to your owner's manual for lubricant change interval schedules.

### CARBON CLEAN



Polaris Carbon Clean injectors, piston ring lands, intake systems,

» 125 mL • 502082

### FUEL STABILIZER

ethanol corrosion and stabilizes fuel for up to antioxidant formula protects against gum and varnish for easy starting

» 125 ml • 502100

### ANGLE DRIVE FLUID

» 1 L • 502089

» 25 L • 502268 » 202 L • 502266

CASE SYSTEM



PREMIUM GAS SHOCK OIL

» 1 L • 502098



ALL-SEASON GREASE TUBE

» 400 g • 502068

as well as the day you brought it home is proper maintenance. Items like belts, filters, and batteries represent only a few of these critical items engineered specifically by Polaris.

### **AIR FILTERS**

Critical to engine performance and reliability. A clogged air filter can restrict air flow to the engine leading to reduced engine performance. Dirt and debris ingestion can damage the engine leading to reduced engine life or catastrophic failure. Polaris recommends changing the vehicle's air filter at the specified intervals outlined in the owner's manual, which may be shorter if your vehicle is subject to severe conditions.

FOR THE LIFE OF YOUR RIDE

### **BRAKE PADS**

Check your brakes if you are close to the recommended service interval, hear grinding when applying the brakes, your vehicle is taking longer to stop or if you have to apply more pressure to your pedal to engage the brakes. Check the brake discs for signs of cracks, excessive corrosion

If the brake pads are contaminated with oils or grease (petroleum products), brake pads have to be

Discs need to be cleaned with brake cleaner or alcohol based cleaner only

### **DRIVE BELTS**

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

### **OIL FILTERS**

Change oil filters with every oil change to provide the best protection for your engine. Superior engine protection keeps your engine operating at peak performance. Be sure to follow the suggested service intervals for oil/oil filter changes.

### **BATTERIES**

Never leave a battery unattended during the storage season. To ensure your battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a BatteryMINDer. Be sure to check for corrosion from the terminals to the ends of the cables.

### MAINTENANCE

### **BREAK-IN PERIOD**

The break-in period for your new Polaris GENERAL is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine. Perform the listed procedures carefully.

### MAINTENANCE SCHEDULE

25 HRS/400 km

### **BREAK-IN MAINTENANCE**

ENGINE OIL: CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> **AIR FILTER:** INSPECT & CLEAN

REPLACE AS NEEDED EXHAUST SYSTEM:

INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

50 HRS/800 km

### **MONTHS**

**EXHAUST SYSTEM:** INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

### **MONTHS**

100 HRS/1600 km

**ENGINE OIL:** 

CHANGE

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

> **TRANSMISSION** FLUID: CHANGE

**EXHAUST SYSTEM:** INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

### **MONTHS**

150 HRS/2400 km

ENGINE OIL: CHANGE

**BATTERY:** TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

TIRES:
INSPECT CONDITION & PRESSURE

**EXHAUST SYSTEM:** INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR MONTHS

200 HRS/3200 km

**ENGINE OIL:** CHANGE

**BRAKE PADS** & FLUID: INSPECT & CLEAN REPLACE AS NEEDED

> SPARK PLUGS: INSPECT REPLACE AS NEEDED

**EXHAUST SYSTEM: INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

MONTHS

350 HRS/4020 km

ENGINE OIL: CHANGE

**BATTERY:** TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS. CABLES, ETC.

**EXHAUST SYSTEM:** 

**INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN
TYPE SPARK ARRESTOR **MONTHS** 

500 HRS/8045 km

**ENGINE OIL:** CHANGE

**AIR FILTER:** INSPECT, CLEAN REPLACE AS NEEDED

**COOLANT:** CHECK LEVEL **REPLACE EVERY 2 YEARS** 

**GEARCASES:** CHECK OIL LEVEL

**EXHAUST SYSTEM:** INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR **CHECK YOUR** OWNER'S MANUAL FOR ADDITIONAL RECOMMENDED **SERVICE ITEMS** AND VEHICLE-**SPECIFIC TIMING** 

### SERVICE PARTS

### Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are developed and tested for your vehicle. Half shafts, bushings, bearings, decals, side panels, electrical components, and clutching components are the same parts that are manufactured on the factory lines for each specific vehicle. This ensures it doesn't merely fit your vehicle – it outperforms your expectations!

### VISIT YOUR POLARIS DEALER TO SHOP FOR SERVICE PARTS.



### FOR THE LIFE OF YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



### POLARIS ENGINEERED DRIVE BELTS

### TESTED, PERFECTED

We test each belt on the intended vehicle – we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris® CVT System Engineer

### **OUR INVESTMENT**

- 32,187 km of field testing
- Thousands of dyno hours
- •18+ months of development (3,000+ design hours) per belt
- · 1200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

### YOUR ADVANTAGE

- No clutch recalibration
- · Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- · More time out riding, less time wrenching

OUR INVESTMENTS ENSURE POLARIS BELTS OUTPERFORM YOUR EXPECTATIONS.

### BRING IT EVERYWHERE

### TRAILERING





- $\bullet$  Designed for ATVs and UTVs up to 127 cm
- · Integrated grip glides for ultimate traction
- Folding sides for easy transportation
- » 132 cm × 229 cm 2883005



**ALUMINUM ARCHED** LOADING RAMPS

- » 193 cm × 30.5 cm 907 kg 2875384
- » 224 cm × 30.5 cm 1361 kg 2875386



- · Ramp folds up for transport
- · Capacity for up to 680.7 kg
- · Safety straps included
- » 183 cm × 130 cm 2875385 » 208 cm × 130 cm • 2875860




FOLDING ALUMINUM ARCHED RAMPS

- · Ramp folds up for transport
- · Capacity up to 1361 kg
- · Safety straps included
- » 224 cm × 30.5 cm 2875387


### HITCHES.

### 3:1 HITCHES


**VERSATILE 3 IN 1 FUNCTIONALITY** 




BALL



ноок



PIN ·



- · Durable steel construction
- Rust resistant, black powdercoated finish
- · Removable ball
- Heavy Duty ⁵/₅" pin and clip



- HITCH WITH 2" BALL
- 2830522 » 1 1/4" x 1 1/4" RECEIVER

» 2" x 2" RECEIVER



- 1 %" replacement ball for hitch
- Designed to work with 3:1 Hitch
- » 2830524



- » 2" RECEIVER TONGUE
- 2875320 » FRONT HITCH RECEIVER



- » 17/8" BALL 2877602
- - » 2" BALL 2877603

TRAILER BALL

3/4" SHANK

### STRAPS & ROPES



- RECOVERY STRAP • 5cm x 9.1 m (8165 kg)
- · Comes with carry bac
- » 2884033



### NEW RATCHET STRAP

- 3.8 cm x 4.6 m straps, 2 Pack
- Heavy duty webbing
- 2495 kg maximum load, 831 kg working load
- » 2884031



### 5 cm x 6.1 m Ratchet Straps Heavy duty webbing, floating D-rings, double J-hooks

- 4536 kg maximum load, 1497 kg working load
- » 2884032



### SHOCK STRAPS

- · 3.8 cm 1361 kg breaking strength Keeps tension on tie-down straps to
- secure load, 2 Pack
- » 3.8 cm x 4.6 m 2883296
- » 3.8 cm x 2.1 m 2883295





### POLARIS SxS CAMO FIELD COVER

POLARIS GENERAL 4 '17-18, POLARIS GENERAL '16-18

**COVERS** 





- » 2-SEAT 2881841 POLARIS GENERAL '16-19
- » 4-SEAT 2881787
- POLARIS GENERAL 4 '17-19



KEEPII

CLEAN I

» 500 mL • 502309

SHINE I

» 500 mL • 502303

**ALL-PURPOSE CLEANER** 

**INSTANT SHINE & DETAILER** 

The INSTANT SHINE AND DETAILER is developed for cleaning action without
water. Removes insects, dust and dirt with almost no effort. Applicable for
plastics, visors, windscreens, paint and metal. The wipe and shine formulation
makes surfaces shine, works water repellant and also has an antistatic
effect. Perfect for customers living in urban areas with no access to water,
for bike trips or showroom bikes.

Professional cleaner, which is formulated with a low pH-value. The product spreads well on surfaces and adheres on them for effective cleaning action. Perfectly compatible with rubber plastic and painted surfaces. The formulation is biodegrada

POLARIS

ALL PURPOSE

CLEANER

POLARIS

INSTANT SHINE

AND DETAILER





### 509° ALTITUDE **CARBON HELMET**

- Durable, ultra lightweight, Carbon Fiber
- Full carbon fiber shell
- · 1100 grams
- » S-4XL 2867814 • MATTE BLACK 2867815 • GLOSS BLACK



### 509° ALTITUDE HELMET

- Stylish, Lightweight with 509 Fit
- Thermoplastic poly alloy out shell
- 1260 grams

» S-4XL

2868539 • LIME 2867820 · BLUE 2867818 · ORANGE 2867819 • RED 2867817 • GRAY



### **TENACITY HELMET**

- · All the style and protection in our
- · Injection molded plastic
- 1450 grams
- » XS-3XL

2868624 • PINK GLOSS 2868620 • BLACK/GRAY 2868622 • BLUE GLOSS

2868619 • BLACK MATTE 2868623 • RED GLOSS 2868621 • LIME GLOSS

### **PROTECT YOUR HANDS**

### OFF-ROAD RIDING GLOVES

· As seen in images at left

» S-3XL

2867937 · PINK 2867933 · GRAY

2867936 • RED 2867935 • ORANGE 2868712 • BLUE/LIME 2867934 · BLUE



# WARM

2869919 · BLUE/ORANGE

2869918 · BLACK » WOMEN'S

2869921 · CORAL

2869920 · BLACK

SOFTSHELL JACKET


· Lined with 280 grams of

Armpit zips for venting

fleece for warmth

### BE PREPARED FOR ANYTHING NATURE

### THROWS AT YOU





41







MEN'S TRAIL MID LAYER

» S-3XL GRAY/BLACK • 2869925 MEN'S TECH MESH BEANIE

» ONE SIZE BLACK • 2868650





**CAMO WATER** BOTTLE

WOMEN'S ASYMMETRICAL HOODIE

» S-3XL BLACK • 2868597

WOMEN'S ROSEAU TEE

» S-3XL GRAY FROST • 2869559 BLACK • 2868586

» 2867962

CAMO CAN KOOZIE

» 2867963

CAMO COFFEE TRAVEL MUG

» 2867961

CAMO

STEERING

WHEEL COVER

» 2867964

KOOZIE

CAMO BOTTLE OPENER NOTSHOWN

» 2867965



MEN'S RETRO TRUCKER CAP

» ONE SIZE RED • 2869540 MEN'S LONG SLEEVE RETRO TEE

» S-3XL GRAY • 2868571 WOMEN'S BASEBALL 3/4 SLEEVE TEE

» S-3XL









