



2 0 2 1



RANGER | RZR | GENERAL | SPORTSMAN

**POLARIS**  
OFF ROAD



LET THE OUTSIDE CHALLENGE  
WHAT'S INSIDE YOU.



Exploration, accomplishment, adventure—all are waiting off the beaten path. That's why every day you're pursuing new experiences and discoveries. Wherever you ride, and whatever your passion, there's a Polaris off-road vehicle ready to help you explore every inch of the world.

TABLE OF CONTENTS

POLARIS ADVENTURES	4
RIDE COMMAND	5
RANGER	6
RZR	12
GENERAL	18
SPORTSMAN	22
YOUTH	30
ACCESSORIES	31
SPECIFICATIONS	32



# EXPERIENCE THE WORLD LEADER IN OFF-ROAD ADVENTURE.

When you take a seat on a Polaris off-road vehicle, you're joining the largest community of riders in the world. And whether it's industry-leading technology, an unmatched dealer network, the largest offering of accessories, or try-before-you-buy and destination riding programs, we go beyond the mechanical to make your off-road experiences the most complete they can possibly be.

## DEALER NETWORK

Made up of nearly 3,000 dealers worldwide, our dealer network is second to none. And our commitment to them has resulted in strong relationships with people who are as dedicated as we are to exceptional customer service that educates riders and keeps you where you want to be—out on the off-road.

## POLARIS ADVENTURES

Much more than a vehicle rental program, Polaris Adventures takes riders to incredible destinations for an unforgettable experience far beyond the everyday. Suitable for every riding level, these premier adventures partner you with certified experience outfitters who are experts in Polaris vehicles—giving riders approachable, safe and memorable adventures of a lifetime.



## POLARIS RIDE COMMAND PLAN. TRACK. SHARE. CONNECT.

RIDE IN CONFIDENCE WITH INDUSTRY-LEADING TECHNOLOGY SHOWING THE WAY.



### PLAN YOUR RIDE

RIDE COMMAND makes confidently planning and navigating your routes easy by adding multiple stops and waypoints, and you can even share your planned route with friends.

### KEEP YOUR GROUP IN SIGHT

With Group Ride you can ride at your own speed and still keep fellow riders in sight, even if you get split up—because rides are meant to be shared.

### STAY THE COURSE

With a wealth of over 750,000 miles of downloaded maps and trails available offline, you'll know just where to go, whether you have cellular coverage or not.

### RELIVE YOUR RIDE

With 3D flyovers you can track and go over your completed rides, and share your favorite routes with friends even after the ride is over.

LEARN MORE AND DOWNLOAD AT [RIDECOMMAND.POLARIS.COM](https://ridecommand.polaris.com)




7" TOUCH-SCREEN DISPLAY  
AVAILABLE ON RIDE COMMAND MODELS



### CONFIGURABLE GAUGES

Customize the riding experience by choosing which features you want to see on your in-dash display.



### BLUETOOTH® CONNECTIVITY

Seamlessly pair to your display via Bluetooth® to wirelessly stream music and stay connected with call and text alerts.



### FRONT AND REAR CAMERAS

Whether navigating over rocky terrain or connecting a trailer, you'll know how to navigate with full view of your surroundings.



### PLOW MODE

Plow Mode makes plowing quick and easy by automatically adjusting the plow position depending on the gear you're in. Drop, drag and push to remove snow easier than ever before.

FEATURES VARY BASED ON MODEL.



# AS RELIABLE AND HARDWORKING AS YOU ARE.



## **RANGER**

**WORLD'S #1 SELLING UTILITY SIDE-BY-SIDE**

You always give 100%, and RANGER is built the same way. Which is why RANGER has been the world's most-trusted utility side-by-side for farmers, ranchers, hunters and homeowners for more than a decade.



HARDEST WORKING. SMOOTHEST RIDING.



### **STRONGEST**

Enduring quality and durability you can rely on each and every day. With ease-of-service, less downtime and quiet operation that's made to last.



### **MOST CAPABLE**

The confidence to work hard and play hard, with the ability to handle any terrain, get tough jobs done, ride harder and go further.



### **MOST COMFORTABLE**

A legendary smooth ride and plush seating keep you comfortable all day long with purposeful storage for work and play.



# A RANGER FOR EVERY OCCASION.

No matter the job, no matter the trail, there's a Polaris RANGER for you with an unmatched combination of strength, capability and comfort.

## RANGER 1000

THE PERFECT COMBINATION OF PRICE & PERFORMANCE

For those who value getting things done, [RANGER 1000](#) is optimized for work with a smooth 61HP and 55lb-ft of low-end torque. And with 2,500lbs of towing capacity and a full-body skid plate for added durability and protection, you get more capability, confidence and value for your dollar than ever before.

### CONTROL IN CHALLENGING TERRAIN

6-Ply 26" Tires, 12" Wheels

### RIDE OVER OBSTACLES IN YOUR WAY

12.5" Ground Clearance

### PERFECTLY BALANCED POWER

61 Horsepower

**THE TRACTION YOU NEED, WHEN YOU NEED IT**  
True On-Demand All-Wheel Drive

**HAUL MORE CARGO WITH CONFIDENCE**  
1,000lb Box Capacity,  
2,500lb Towing Capacity

## RANGER XP 1000

THE ULTIMATE UTILITY SIDE-BY-SIDE

Defined by uncompromising toughness, the [RANGER XP 1000](#) over delivers in every way. The industry's ultimate utility side-by-side has the highest ground clearance, the most box capacity and new premium features to help you outlast even the longest days.

### ASSURED GRIP & STYLE IN ANY TERRAIN

6-Ply 27" Tires, 14" Wheels

### RIDE UP OVER IT ALL

13" Ground Clearance

### MORE POWER TO WORK AND PLAY

82 Horsepower

**THE TRACTION YOU NEED, WHEN YOU NEED IT**  
True On-Demand All-Wheel Drive

**HAUL MORE CARGO WITH CONFIDENCE**  
1,000lb Box Capacity,  
2,500lb Towing Capacity

## RANGER XP 1000 NORTHSTAR EDITION

THE ULTIMATE IN OFF-ROAD CLIMATE CONTROL

No matter the weather, [NORTHSTAR's](#) sealed cab and factory-installed HVAC system will give you the confidence to go forward. And with 82HP and an industry-leading 2,500lbs of towing capacity, you'll enjoy unrivaled productivity with unmatched comfort.



CREW MODEL AVAILABLE



CREW MODEL AVAILABLE  
Specs May Vary

### NORTHSTAR PREMIUM

ALL FEATURES FROM XP 1000 PLUS:

**PREMIUM PROTECTION FROM THE ELEMENTS**  
Pro Shield™ Cab System

**CONFIDENCE TO OVERCOME ANY SITUATION**  
4,500lb Winch

### NORTHSTAR ULTIMATE

ALL FEATURES FROM PREMIUM PLUS:

**CLEARANCE IN RUGGED TERRAIN**  
29" Maxxis® Tires,  
14" Ground Clearance

**PLAN & TRACK RIDES, EASIER TRAILER HOOKUP**  
Factory-Installed RIDE COMMAND with GPS and Front and Rear Cameras

**EXTEND YOUR DAY WITH BRIGHTER LIGHTING**  
LED Headlights with 90% More Output



### HEATING & AIR CONDITIONING

Keeps you comfortable in any and all conditions.

FEATURED ON BOTH MODELS



### PROSHIELD FULL TIP-OUT WINDSHIELD

Quick and easy adaptability and venting.

FEATURED ON ULTIMATE MODELS



### POWER WINDOW DOORS

Convenient push-button door window operation.

FEATURED ON ULTIMATE MODELS



LIMITED EDITION



SPECIAL EDITION

**WINTER PREP PACKAGE**

AVAILABLE ON RANGER 1000

**THE POWER TO PLOW**  
4,500lb Winch

**HIGH-CAPACITY CHARGING FOR ADDED ACCESSORIES**  
900W Charging System

**COMFORT FROM THE COLD**  
Cab Seal & Heater Kit



POLARIS FACTORY INSTALLED PACKAGES

**RIDE COMMAND PACKAGE**

AVAILABLE ON RANGER XP 1000

**DETAILED ROUTE PLANNING AND DIRECTIONS**  
GPS Navigation

**INTUITIVE TOUCH SCREEN AND CLEAR SOUND**  
7" Display with In-Dash Speakers

**CONFIDENCE AND INCREASED VISIBILITY AFTER DARK**  
LED Headlights



POLARIS FACTORY INSTALLED PACKAGES

**MB QUART® AUDIO PACKAGE**

AVAILABLE ON RANGER XP 1000 NORTHSTAR ULTIMATE

**FULL-CAB SOUND**  
Rear Roof Speakers

**ROBUST, DIRECTIONAL AUDIO**  
300W Overhead Audio Visor Speakers

**RICH LOW-END BASS**  
Max Boost 10" 250W Subwoofer



POLARIS FACTORY INSTALLED PACKAGES

# THE INDUSTRY'S MOST COMPLETE UTILITY SXS LINEUP

## 2-SEAT

A compact, trusted work partner that also offers recreational capability.



MODEL SHOWN: RANGER 570

## 3-SEAT

Maximum performance and capability, with versatility and comfort.



MODEL SHOWN: RANGER XP 1000 PREMIUM

## CREW

The performance you expect, plus seating for six.



MODEL SHOWN: RANGER CREW 1000 PREMIUM

## RANGER XP 1000 TRAIL BOSS

HEAVY-DUTY CAPABILITY. PREMIUM REFINEMENT.

The [Trail Boss](#) does more than just work hard—it sets the bar for heavy-duty capability and premium refinement. With all-new 29" tires for added clearance and traction and high-powered LED headlights to conquer the darkest nights, Trail Boss puts you firmly in charge.

Available in XP 1000 Premium and XP 1000 Northstar Ultimate

**ASSURED TRACTION TO CONFIDENTLY NAVIGATE DOWNHILL TERRAIN**  
Active Descent Control

**PREMIUM TRACTION AND GROUND CLEARANCE IN ROUGH TERRAIN**  
29" Tires, 14" Ground Clearance

**POWERFUL LIGHTING TO RIDE OR WORK LONGER**  
LED Headlights with 90% More Output

**MAINTAIN CLEARANCE AND CONTROL WHEN LOADED**  
Self-Leveling Suspension

## RANGER XP 1000 HIGH LIFTER

THE KING OF MUD

Step up to the [RANGER XP 1000 High Lifter](#), the undisputed leader in mud performance. This machine is purpose-built with features like the new massive 30" Outlaw 2 tires to help you dominate the mud with assured confidence and look great while doing.

**CONQUER THE SWAMP**  
30" Mud-Specific Outlaw 2 Tires

**CHURN THROUGH THE MUD**  
82 Horsepower

**TAKE ON THE DEPTHS**  
15" Ground Clearance, Arched A-Arm Suspension

**CLEAN AIR TO THE ENGINE AND CLUTCHES**  
High-Mount Air Intakes and Venting

**STRENGTH TO BACK OUT OF TOUGH SITUATIONS**  
Geared Reverse



# OUTRUN THE ORDINARY.



**RZR**

WORLD LEADER IN RECREATION SXS

Continuously breaking new ground with innovative performance to help you push boundaries. With superior control for unmatched confidence, we don't just deliver the ultimate riding experience—we define it.



## SUPERIOR CONFIDENCE AND CONTROL



### PERFORMANCE TO TAKE YOU ANYWHERE

Proven in the world's most dynamic, challenging and competitive environments, RZR has captured more wins, podiums and championships than any other side-by-side.



### SMOOTHEST, MOST COMFORTABLE RIDE

The best ride in the roughest terrain, RZR continues to lead the way with unrivaled ride and handling, and the industry's fastest engaging all-wheel drive system.



### INDUSTRY-LEADING TECHNOLOGY

Unlock an unprecedented riding experience with the connectivity of RIDE COMMAND and the intelligent control of on-the-fly adjustments of DYNAMIX active suspension.



# A RZR FOR EVERY KIND OF RIDE.

With the most complete lineup, Polaris RZR gives you more ways to accelerate your outdoor world. Whether you're chasing what's around the next corner or what's over the next rise, RZR will take you there.



## RZR PRO XP

THE NEXT LEVEL IN XTREME PERFORMANCE

Take your off-road experience to the next level with the most capable vehicle in the Xtreme Performance class. [RZR Pro XP](#) delivers the perfect blend of performance, design, and strength for any trail or terrain.

### AGILE & VERSATILE PERFORMANCE

181HP, 22" Suspension Travel, 64" Stance, DYNAMIX Active Suspension

### STRENGTH TO PUSH BOUNDARIES

Rigid One-Piece Chassis, 2x Longer Belt Life\*, 3x Stronger Isolated Front Drive\*

### RIDER-CENTRIC DESIGN FOR OPTIMUM CONTROL & COMFORT

Tilting and Telescoping Steering Wheel, Upright Driving Position, RIDE COMMAND

## RZR TURBO S

THE KING OF WIDE-OPEN SPACES

Experience front-of-the-pack performance across the most challenging terrain with the long travel [RZR Turbo S](#). With unmatched stability, instant turbocharged acceleration, and precision handling, nothing else measures up.

### PERFORMANCE FOR THE ROUGHEST TERRAIN

168HP, 25" Suspension Travel, 72" Stance, DYNAMIX Active Suspension

### RACE-PROVEN STRENGTH

Stock 32" Tires, 16" Ground Clearance, 3x Stronger Isolated Front Drive\*

### RACE-INSPIRED COCKPIT

Upright Driving Position, 4-Point Harness, Flat-Bottom Steering Wheel, RIDE COMMAND

## RZR 900 AND RZR S 1000

ULTIMATE TRAIL PERFORMANCE

Dissect the tightest trails and lead with confidence. The ultimate trail capability of [RZR 900](#) and [RZR S 1000](#) delivers unmatched agility, corner-to-corner quickness and a narrowed stance for the freedom of limitless performance.

### PRECISION AND AGILITY ON TIGHT TRAILS

Available in 50" and 60" Stance, True High-Performance On-Demand All-Wheel Drive

### CORNER-TO-CORNER ACCELERATION

Up to 100HP, Class-Leading Power-to-Weight

### ALL DAY TRAIL COMFORT

Up to 13.2" of Travel, 12.5" Ground Clearance and 27" Tires





# THE WORLD'S SMARTEST SUSPENSION.

## TERRAIN SHIFTS HAPPEN FAST. BE READY.

Experience the ultimate in off-road ride and handling. DYNAMIX active suspension control uses multiple inputs to automatically make shock adjustments on-the-fly, for an optimum ride in every situation. No matter the terrain, DYNAMIX gives you more control and delivers the highest level of comfort.



ACCELERATION | AIRBORNE | CORNERING | BRAKING

ULTIMATE CONTROL IN EVERY SITUATION



## YOU CHOOSE THE PERFECT RIDE, EVERY TIME

Select one of three ride modes and DYNAMIX does the rest, with ride calculations optimized over 200-times per second for the ultimate in ride comfort and control.

### COMFORT

Enjoy maximum comfort with plush suspension settings for all-day rides.

### SPORT

Ride everywhere with the perfect balance of stability, control and handling.

### FIRM

Tackle the toughest terrain, and anything else that stands in your way with the most aggressive suspension.



### X BUTTON

The industry's only steering-wheel mounted ride adjustment allows you to stay in control when unexpected terrain hits. Instantly attain full-firm suspension settings for one full second by hitting the "X" Button.

Featured only on Pro XP Ultimate and Pro XP 4 Ultimate

## THE INDUSTRY'S MOST COMPLETE PERFORMANCE SXS LINEUP

### TRAIL

Agility for Tight Trails



MODEL SHOWN:  
RZR S 900  
PREMIUM

### XTREME PERFORMANCE

Conquer Any Terrain



MODEL SHOWN:  
RZR PRO XP  
ULTIMATE

### WIDE OPEN

Performance for the Roughest Terrain



MODEL SHOWN:  
RZR TURBO S 4



# ADVENTURE SEEKER SEEKS RIDER.


## GENERAL

OFF-ROAD'S PREMIER FAMILY OF CROSSOVER SXS

For those seeking adventure, Polaris GENERAL is your key to unlocking all the possibilities of the outdoors. With a premium combination of performance, comfort and versatility, no other crossover side-by-side gives you more confidence to pursue your outdoor passion.



ELEVATE YOUR ADVENTURE



### UNSTOPPABLE PERFORMANCE

An ideal combination of class-leading power, terrain-smoothing suspension and ground clearance for unlimited adventure.



### UNMATCHED COMFORT AND STYLE

Surround yourself with premium cab features, the convenience of advanced technology and on-trend colors and graphics.



### UNRIVALED VERSATILITY

You're always ready for anything with the one machine that can do it all with the ability to haul, carry and store more gear and cargo.

RANGER  
RZR  
GENERAL  
SPORTSMAN  
YOUTH  
SPECIFICATIONS





## GENERAL 1000 SPORT

MOST ACCESSIBLE CROSSOVER SIDE-BY-SIDE

Find adventure wherever it lives with the industry's premier, value-packed crossover side-by-side. A four-wheeled force of nature, [GENERAL 1000 Sport](#) offers more performance, comfort and versatility for less.

**SMOOTH, CLASS-LEADING COMFORT TO RIDE LONGER**  
12" Ground Clearance,  
12.25" Suspension Travel

**BRING YOUR GEAR WITH YOU**  
600lb Cargo Space

**INSTANT RESPONSE AND TRACTION**  
True On-Demand All-Wheel Drive with Turf Mode

**PREMIUM CAB SURROUNDINGS**  
Wide-Bolstered Seats, Premium Half Doors, Adjustable Steering Wheel



## GENERAL XP 1000

THE BEST IN OFF-ROAD ADVENTURE

With [GENERAL XP 1000](#), you get a class-leading machine that will give you the versatility and confidence to take on the outdoors. The ultimate in performance, comfort and utility, GENERAL XP 1000 can do everything, which will have you ready for anything.

**SURE-FOOTED CONFIDENCE & STABILITY**  
64" Stance, 30" Pro Armor  
XG Tires, 15" Wheels

**HAUL MORE ON YOUR ADVENTURE**  
1,500lb Towing Capacity

**SMOOTH ROUGH TERRAIN AND RIDE OVER OBSTACLES**  
14" Suspension Travel, Walker Evans Velocity Shocks, 13.5" Ground Clearance

**OPTIMIZED SOUND FOR OFF-ROAD RIDES**  
Rockford Fosgate® Stage 1 Audio



LIMITED EDITION

## GENERAL XP 1000 PURSUIT

ULTIMATE BACKCOUNTRY ADVENTURE

Set your sights on the ultimate outdoor experience with the [GENERAL XP 1000 Pursuit Edition](#), with class-leading capability and factory-equipped hunt-focused accessories engineered to support you in your pursuit of game big or small.

**KEEP FIREARMS SAFE AND SECURE**  
Kolpin Gun Mount & Boot

**EXTEND YOUR PURSUIT IN LOW LIGHT**  
Pro Armor Light Bar

**CLEAR OBSTACLES IN YOUR PATH**  
4,500lb Winch

**KEEP GEAR ORGANIZED**  
Rear Cargo Bed Rack

### RIDE COMMAND & STAGE 4 AUDIO PACKAGE

AVAILABLE ON  
**GENERAL XP 1000 & GENERAL 1000 DELUXE**

**PLAN, TRACK, SHARE**  
Factory-Installed RIDE COMMAND

**CUSTOM OFF-ROAD TUNED PREMIUM AUDIO**  
Factory-Installed Rockford Fosgate® Stage 4 Audio



POLARIS  
FACTORY INSTALLED  
PACKAGES

## THE OFF-ROAD'S PREMIER FAMILY OF CROSSOVER SXS

### 1000

Class-leading performance and utility with unmatched comfort mile after mile.

#### SPORT

Easiest way to enjoy a premier crossover side-by-side with competition beating performance, comfort and versatility.



#### PREMIUM

Premium features and finishes with best-in-class power and performance. (4-Seat Model Available)



#### DELUXE

Elevated experience with enhanced comfort, high-end audio and premium accessories. (4-Seat Model Available)



### XP 1000

The world's best and most capable crossover side-by-side with unrivaled performance and versatility.

#### DELUXE

Elevated experience with enhanced comfort, high-end audio and premium accessories. (4-Seat Model Available)





# GRAB HOLD OF THE OUTDOORS.

## SPORTSMAN

### WORLD'S TOUGHEST ATV

The ATV that defined the industry, SPORTSMAN combines legendary smoothness, unstoppable versatility and an ease of use that the competition continues to chase. With over one million sold, it's the world's #1 automatic 4x4 ATV for trail and adventure riders, hunters, ranchers and anyone who wants to explore the outdoors.



## LEGENDARY TOUGH



### SMOOTHEST

All-day comfort, stability and control through class-leading suspension and the unmatched traction of the industry's quickest engaging all-wheel drive.



### STRONGEST

The toughness and confidence that come from uncompromising build quality and rock-solid durability, giving you the strength to take on any terrain.



### MOST VERSATILE

Convenient storage, built-in accessory integration and ease of ownership give you the ability to ride any trail and take on any task.



# THE ICON. BETTER THAN EVER.



## INTRODUCING THE ALL-NEW SPORTSMAN 450 H.O. AND 570

The evolution of the world's most-trusted ATV is here. These completely redesigned machines offer more performance, capability and versatility than ever before, putting adventure and confidence right where they belong—firmly in your grasp.



### SMOOTH, UNSURPASSED RIDE

The most stable suspension. Class-leading travel and more clearance. And intuitive, one-touch True On-Demand All-Wheel Drive and electronic power steering, all providing you with an unmatched ride.

### MOST RELIABLE ATV EVER

A more powerful battery. Stronger tires. And automotive style rubber bushings for increased durability and minimal maintenance, all combining to give you the most trustworthy ATV out there.

### MORE VERSATILITY, MORE VALUE

Class-leading storage. The most accessories. And the best user interface with a single-lever brake, fastest-engaging All Wheel Drive and Electronic Braking System, all giving you the best value in the off-road category.

THE NEXT GENERATION OF THE  
WORLD'S MOST TRUSTED ATV IS HERE

RANGER  
RZR  
GENERAL  
SPORTSMAN  
YOUTH  
SPECIFICATIONS





## SPORTSMAN 450 H.O.

FULL-SIZE CAPABILITY AND ULTIMATE VALUE

The redesigned [Sportsman 450 H.O.](#) delivers more for your hard-earned dollar than ever before. You get legendary toughness, versatility and rideability that more than one-million riders have relied on for decades.

### ON-DEMAND TRACTION & CONTROL WHEN YOU NEED IT

**LEGENDARY**  
Industry's Fastest-Engaging All-Wheel Drive System

### IMPROVED VIEWS WITH DIRECTIONAL TRAIL LIGHTING

**LEGENDARY**  
Steerable Pod Headlight

### MORE STABILITY FOR CONFIDENT CONTROL

**LEGENDARY**  
48" Stance

### EASY AND INTUITIVE BRAKING RESPONSE

**LEGENDARY**  
Innovative Single Lever Braking

### LOAD IT UP AND TOW EVEN MORE

**UPGRADED**  
Class-Leading 1,350lb Towing Capacity

### QUICKER, SMOOTHER & MORE PREDICTABLE DECELERATION

**UPGRADED**  
Engine Braking System (EBS)  
(On Equipped Models)

### EASIER ACCESSORY INSTALLATION

**UPGRADED**  
Pre-Wired for Hand/Thumb Warmers and Winch

### CAPABILITY OF ADDED TRACTION & CLEARANCE

**NEW**  
Larger 25" 6-Ply Tires, 11.5" Ground Clearance

### MORE POWERFUL, MORE ACCESSIBLE, MORE RELIABLE

**NEW**  
Larger Battery with 78% More Cold Cranking Amps

### REDUCE MAINTENANCE & DELIVER A QUIETER RIDE

**NEW**  
Automotive Sealed Rubber Suspension Bushings

## SPORTSMAN 450 H.O. & 570 LINEUP



**450 H.O.**  
33HP  
True On-Demand AWD  
12" Steel Wheels  
Front Rack Extenders  
Single Taillight



**450 H.O. EPS**  
Twin Taillights  
Front/Rear Rack Extender  
Electronic Power Steering



**570**  
44HP  
True On-Demand AWD  
12" Steel Wheels  
Front Rack Extenders  
Single Taillight



**570 EPS**  
Twin Taillights  
Front Bumper  
Front/Rear Rack Extenders  
Electronic Power Steering



**570 EPS PREMIUM**  
Active Descent Control  
12" Aluminum Wheels  
Automotive Paint




**570 HUNT EDITION**  
Dual A-Arms  
Front & Rear Bumper  
Front & Rear Rack Extenders  
26" Duro® Tires  
14" Aluminum Wheels  
2,500lb Polaris HD Winch  
Kolpin Gun Boot/Mount & Rhino Grips

## SPORTSMAN 570

STEP UP WITH MORE POWER AND ADDED FEATURES

The most trusted ATV in the world is now even better. With the legendary comfort and handling you expect with even more convenience, greater capability and added toughness.



**POLARIS FACTORY INSTALLED PACKAGES**

**UTILITY PACKAGE**

AVAILABLE ON  
**SPORTSMAN 450, 570 & 570 EPS**

<b>ADDED TOUGHNESS FOR BIG LOADS</b> Front & Back Utility Racks	<b>MORE CONVENIENCE ON THE JOB</b> Integrated Front Receiver Hitch
<b>CONFIDENCE FROM MAXIMUM PROTECTION</b> Front Utility Bumper	



**POLARIS FACTORY INSTALLED PACKAGES**

**TRAIL PACKAGE**

AVAILABLE ON  
**SPORTSMAN 570 EPS PREMIUM**

<b>TRAIL-READY PERFORMANCE</b> Dual Arched A-Arms	<b>PULLING POWER TO CLEAR THE WAY</b> 2,500lb Polaris HD Winch
<b>ADDITIONAL PROTECTION AND STYLE</b> Front & Rear Bumpers	<b>IMPROVED CONTROL AND STANDOUT STYLE</b> 14" Aluminum Wheels, 26" Duro® Grip Tires



## SPORTSMAN 570 UTILITY HD

THE DEFINITION OF A WORKHORSE AT V

The ATV that works as hard as you do, [SPORTSMAN 570 UTILITY HD](#) has added utility and durability so you can work hard early and play hard later.

**EASY ACCESS TO POWER**  
Switchable Rear Power Port

**THE DURABILITY TO KEEP GOING**  
Heavy Duty Bearings, Longer-lasting Driveline Seals

**THE RUGGED UTILITY YOU NEED**  
Durable Bumpers, Front & Rear Metal Racks

**RIDE-CONTROL PACKAGE**  
Low-Effect Throttle, 3-Way Drive Modes, Speed Limiter, Geofencing



## SPORTSMAN 570 ULTIMATE TRAIL

THE ATV THAT TAKES YOU ANYWHERE

With factory-installed trail-specific features to enhance your trail-riding experience, this ATV is ready for any terrain, helping you take your passion further than ever before.

**GRIP RUGGED GROUND & CLEAR OBSTACLES**  
26" Duro® Grip Tires, Dual Arched A-Arms

**INCREASED VISIBILITY FOR DAYS & NIGHTS**  
High-Intensity LED Headlights

**FREE YOURSELF & REMOVE OBSTACLES**  
2,500lb Polaris HD Winch

**RIDE-CONTROL PACKAGE**  
Low-Effect Throttle, 3-Way Drive Modes, Speed Limiter, Geofencing



# UNCOMPROMISING AND UNSTOPPABLE.

When the outdoors is calling, there's no better way to answer than with SPORTSMAN. Packed with incredible power, class-leading capability and industry-leading comfort thanks to their renowned suspension and handling, these kings of ATV will have you riding in confidence.

## SPORTSMAN 850

LEGENDARY TOUGHNESS AND SUPERIOR PERFORMANCE

The performance ATV that defined a category, [SPORTSMAN 850](#) features renowned riding and handling, unrelenting power and improved capabilities, so there's no job or trail you can't handle.

**SMOOTH POWER FOR WORK OR PLAY**  
78 Horsepower

**CONFIDENCE OVER ROUGH TERRAIN**  
11.5" Clearance

**TAKE ON THE LARGEST LOADS**  
Front and Rear Racks with 360lb Capacity, 1,500lb Towing Capacity

**WORRY-FREE PERFORMANCE**  
Largest Battery, Powerful Starts

## SPORTSMAN XP 1000

WORLD'S MOST CAPABLE PERFORMANCE AT V

Engineered with class-leading capabilities, unrelenting power and legendary suspension and handling, [SPORTSMAN XP 1000](#) delivers premium performance that gives you the confidence to live outdoors on your terms.

**CARRY AND SECURE BIG LOADS**  
575lb Payload Capacity, 6 Rack Extenders

**MAXIMUM STABILITY AND CONTROL**  
47.6" Stance

**CONQUER OBSTACLES AND RUTS**  
12" Clearance

**POWER AND ACCELERATION FOR ANY SITUATION**  
90 Horsepower

**MAXIMUM TERRAIN CONTROL**  
Active Descent Control

POLARIS FACTORY INSTALLED PACKAGES

TRAIL PACKAGE

AVAILABLE ON SPORTSMAN 850 & XP 1000

<p><b>ADDED TOUGHNESS FOR BIG LOADS</b> 3,500lb Polaris HD Winch</p>	<p><b>STYLE TO STAND APART</b> Painted Springs</p>
<p><b>PROTECT YOUR MACHINE FROM TRAIL RASH</b> Front &amp; Rear Trail Bumper</p>	

## WORLD'S MOST TRUSTED LINEUP OF ATVs

### RECREATION & UTILITY

Go more places and get more done with unstoppable confidence and unmatched value.

MODEL SHOWN: SPORTSMAN 570 EPS



### TOURING

Share the legendary Sportsman ride experience with our 2-Up models.

MODEL SHOWN: SPORTSMAN 850 TOURING



### SPORT

Premium high-performance sport ATVs.

MODEL SHOWN: SCRAMBLER XP 1000 S



### SPECIAL EDITIONS

Purpose-built ATVs with enhanced capabilities for work and extreme terrains.

MODEL SHOWN: SPORTSMAN XP 1000 HIGH LIFTER





THE INDUSTRY'S  
LARGEST YOUTH LINEUP.



Give your kids an adventure of their very own. Polaris has key safety features, fun ATVs and SxS for ages 6+, and all come equipped with adjustable speed control and a custom safety package including a helmet and flag. Industry-leading tech like geofencing capability is also available.

## YOUTH LINEUP

### ATV



PHOENIX 200  
AGES 14+



OUTLAW 110 EFI  
AGES 10+



SPORTSMAN 110 EFI  
AGES 10+



OUTLAW 70 EFI  
AGES 6+



ACE 150 EFI  
AGES 10+

### SXS



RZR 170  
AGES 10+



RANGER 150 EFI  
AGES 10+



## ACCESSORIES TO CUSTOMIZE YOUR RIDE.

Choose from hundreds of factory-engineered and tested accessories to customize your vehicle and complement how you ride. Each one designed to fit perfectly, mount effortlessly and perform to the highest standards for every task, every adventure and every ride.



**POLARIS**  
**ENGINEERED**



### DESIGNED

By the same engineers who designed your vehicle.



### TESTED

Proven in the toughest conditions for absolute confidence.



### TRUSTED

Over 65 years of excellence and the world's off-road leader.





## 2-SEAT, 3-SEAT & CREW



RANGER EV

RANGER 500

RANGER 570  
RANGER CREW 570

RANGER 570 PREMIUM  
RANGER CREW 570 PREMIUM

RANGER 570 FULL-SIZE  
RANGER CREW 570 FULL-SIZE

RANGER 1000  
RANGER 1000 EPS  
RANGER CREW 1000

RANGER 1000 PREMIUM  
RANGER CREW 1000 PREMIUM

## SPECIAL EDITION



RANGER XP 1000 PREMIUM  
RANGER CREW XP 1000 PREMIUM

RANGER XP 1000 NORTHSTAR PREMIUM  
RANGER CREW XP 1000  
NORTHSTAR PREMIUM

RANGER XP 1000 NORTHSTAR ULTIMATE  
RANGER CREW XP 1000  
NORTHSTAR ULTIMATE

RANGER XP 1000 TRAIL BOSS  
RANGER CREW XP 1000 TRAIL BOSS

RANGER XP 1000 TEXAS EDITION  
RANGER CREW XP 1000 TEXAS EDITION

RANGER XP 1000 NORTHSTAR TRAIL BOSS  
RANGER CREW XP 1000  
NORTHSTAR TRAIL BOSS

RANGER XP 1000 HIGH LIFTER EDITION  
RANGER CREW XP 1000  
HIGH LIFTER EDITION

ENGINE & DRIVETRAIN

SUSPENSION

TIRES & WHEELS

DIMENSIONS & CAPACITIES

FEATURES

<b>Engine Type</b>	Single 48-Volt, High Efficiency, AC-Induction Motor	500cc, 4-Stroke Single-Cylinder	567cc, 4-Stroke Single-Cylinder DOHC	567cc, 4-Stroke Single-Cylinder DOHC	567cc, 4-Stroke Single-Cylinder DOHC	999cc, 4-Stroke Twin-Cylinder SOHC	999cc, 4-Stroke Twin-Cylinder SOHC
<b>Horsepower</b>	35HP	32HP	44HP	44HP	44HP	61HP	61HP
<b>Drive System</b>	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
<b>Front Suspension</b>	MacPherson Strut 9" (22.9cm) Travel	MacPherson Strut 9" (22.9cm) Travel	MacPherson Strut 9" (22.9cm) Travel	MacPherson Strut 9" (22.9cm) Travel	MacPherson Strut 9" (22.9cm) Travel	Dual A-Arm 10" (25.4cm) Travel	Dual A-Arm 10" (25.4cm) Travel
<b>Rear Suspension</b>	Dual A-Arm, IRS 9" (22.9cm) Travel	Dual A-Arm, IRS 10" (25.4cm) Travel	Dual A-Arm, IRS 10" (25.4cm) Travel	Dual A-Arm, IRS 10" (25.4cm) Travel	Dual A-Arm, IRS 10" (25.4cm) Travel	Dual A-Arm, IRS 10" (25.4cm) Travel	Dual A-Arm, IRS 10" (25.4cm) Travel
<b>Front Tires</b>	25 x 9-12; Carlisle	25 x 8-12; Carlisle 489	25 x 8-12; Carlisle 489	25 x 8-12; Carlisle 489	25 x 8-12; Carlisle 489	25 x 10-12; Carlisle 489	26 x 9-12; PXT 2.0
<b>Rear Tires</b>	25 x 9-12; Carlisle	25 x 10-12; Carlisle 489	25 x 10-12; Carlisle 489	25 x 10-12; Carlisle 489	25 x 10-12; Carlisle 489	25 x 11-12; Carlisle 489	26 x 11-12; PXT 2.0
<b>Wheels</b>	Stamped Steel	Stamped Steel	Stamped Steel	Aluminum Black Xcelerator	Stamped Steel	Stamped Steel	Aluminum Black Xcelerator 2.0
<b>Wheelbase</b>	72" (182.9cm)	73" (185.4cm)	73" (185.4cm) <b>105" (266.7cm)</b>	73" (185.4cm) <b>105" (266.7cm)</b>	79" (201cm) <b>107" (272cm)</b>	81" (206cm) (1000 & EPS) <b>113" (287cm)</b>	81" (206cm) <b>113" (287cm)</b>
<b>Dry Weight</b>	1,762lb (799kg)	1,066lb (483kg)	1,073lb (487kg) <b>1,326lb (603kg)</b>	1,102lb (500kg) <b>1,351lb (614kg)</b>	1,070.9lb (486kg) <b>1,393lb (632kg)</b>	1,437lb (652kg) 1,485lb (674kg) <b>1,640lb (744kg)</b>	1,537lb (697kg) <b>1,794lb (814kg)</b>
<b>Overall Vehicle Size (L x W x H)</b>	110 x 58 x 73" (279 x 147 x 185cm)	110 x 58 x 73" (279 x 147 x 185cm)	110 x 58 x 73" (279 x 147 x 185cm) <b>142 x 60 x 73" (361 x 152 x 185cm)</b>	110 x 58 x 73" (279 x 147 x 185cm) <b>142 x 60 x 73" (361 x 152 x 185cm)</b>	114 x 60 x 74" (290 x 152 x 188cm) <b>146 x 60 x 74" (370 x 152 x 188cm)</b>	120 x 62.5 x 76" (305 x 158 x 193cm) <b>152 x 62.5 x 76" (385 x 158 x 193cm)</b>	120 x 62.5 x 76" (305 x 158 x 193cm) <b>152 x 62.5 x 76" (385 x 158 x 193cm)</b>
<b>Ground Clearance</b>	10" (25.4cm)	10" (25.4cm)	10" (25.4cm)	10" (25.4cm)	10.5" (26.7cm)	12" (30.5cm)	12.5" (31.75cm)
<b>Seating Capacity</b>	2	2	2 / 4	2 / 4	3 / 6	3 / 6	3 / 6
<b>Fuel Capacity</b>	N.A.	9gal (34.1L)	9gal (34.1L)	9gal (34.1L)	9gal (34.1L)	11.35gal (43L)	11.35gal (43L)
<b>Bed Box Dimensions (L x W x H)</b>	32 x 42 x 11.5" (81 x 107 x 29cm)	32 x 42 x 11.5" (81 x 107 x 29cm)	32 x 42 x 11.5" (81 x 107 x 29cm)	32 x 42 x 11.5" (81 x 107 x 29cm)	36.5 x 54 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)
<b>Box Capacity</b>	500lb (226.8kg)	500lb (226.8kg)	500lb (226.8kg)	500lb (226.8kg)	800lb (363kg)	1,000lb (453kg)	1,000lb (453kg)
<b>Payload Capacity</b>	1,000lb (453.6kg)	1,000lb (453.6kg)	1,000lb (453.6kg) <b>1,250lb (567kg)</b>	1,000lb (453.6kg) <b>1,250lb (567kg)</b>	1,500lb (680.4kg)	2,070lb (939kg) <b>2,020lb (916kg)</b>	2,070lb (939kg) <b>2,020lb (916kg)</b>
<b>Hitch Towing Rating</b>	1,500lb (680.4kg)	1,500lb (680.4kg)	1,500lb (680.4kg)	1,500lb (680.4kg)	1,500lb (680.4kg)	2,500lb (1,133.9kg)	2,500lb (1,133.9kg)
<b>Electronic Power Steering</b>	Not Equipped	Accessory Optional	Accessory Optional	Standard	Not Equipped	Not Equipped Standard <b>Available</b>	Standard
<b>Adjustable Driver's Seat</b>	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Standard
<b>Tilt Steering</b>	Standard	Standard	Standard	Standard	Standard	Standard	Standard
<b>Packages</b>							Winter Prep
<b>Color</b>	Avalanche Gray, Polaris Pursuit Camo	Sage Green, Solar Red	Sage Green, Polaris Pursuit Camo	Bronze Mist	Solar Red, Sage Green <b>Sage Green</b>	Sage Green, Solar Red <b>Sage Green</b>	Steel Blue Metallic, Stealth Gray, Matte Sunset Red, Polaris Pursuit Camo

<b>Engine Type</b>	999cc, 4-Stroke Twin-Cylinder DOHC	999cc, 4-Stroke Twin-Cylinder DOHC	999cc, 4-Stroke Twin-Cylinder DOHC	999cc, 4-Stroke Twin-Cylinder DOHC	999cc, 4-Stroke Twin-Cylinder DOHC	999cc, 4-Stroke Twin-Cylinder DOHC	999cc, 4-Stroke Twin-Cylinder DOHC
<b>Horsepower</b>	82HP	82HP	82HP	82HP	82HP	82HP	82HP
<b>Drive System</b>	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High-Performance On-Demand True AWD/2WD
<b>Front Suspension</b>	Dual A-Arm 11" (27.94cm) Travel	Dual A-Arm 11" (27.94cm) Travel	Dual A-Arm 10" (25.4cm) Travel	Independent, Arched Lower A-Arm, 10" (25.4cm) of Travel	Independent, Arched Lower A-Arm, 10" (25.4cm) of Travel	Independent, Arched Lower A-Arm, 10" (25.4cm) of Travel	Independent Arched Lower A-Arm 10" (25.4cm) Travel
<b>Rear Suspension</b>	Dual A-Arm, IRS 11" (27.94cm) Travel	Dual A-Arm, IRS 11" (27.94cm) Travel	Dual A-Arm, IRS 10" (25.4cm) Travel	Independent, Arched Lower A-Arm, Nivomat Load-Adaptive, 10" (25.4cm) of Travel	Independent, Arched Lower A-Arm, 10" (25.4cm) of Travel	Independent, Arched Lower A-Arm, Nivomat Load-Adaptive, 10" (25.4cm) of Travel	Independent Arched Lower A-Arm 10" (25.4cm) Travel
<b>Front Tires</b>	27 x 9-14; Maxxis® MU511	27 x 9-14; Maxxis® MU511	29 x 9-14; Maxxis® MU511	29 x 9-14; Maxxis® MU511	29 x 9-14; Maxxis® MU511	29 x 9-14; Maxxis® MU511	30 x 9.5-14; Outlaw 2
<b>Rear Tires</b>	27 x 11-14; Maxxis® MU521	27 x 11-14; Maxxis® MU521	29 x 11-14; Maxxis® MU521	29 x 11-14; Maxxis® MU521	29 x 11-14; Maxxis® MU521	29 x 11-14; Maxxis® MU521	30 x 11-14; Outlaw 2
<b>Wheels</b>	14" Black Aluminum with Machined Accents 14" Black Aluminum*	14" Black Aluminum with Machined Accents 14" Black Aluminum*	14" Black Aluminum with Machined Accents 14" Black Aluminum*	14" Black Aluminum with Machined Accents	14" Black Aluminum with Machined Accents	14" Black Aluminum with Machined Accents	14" Black Aluminum
<b>Wheelbase</b>	81" (206cm) <b>113" (287cm)</b>	81" (206cm) <b>113" (287cm)</b>	81" (206cm) <b>113" (287cm)</b>	81" (206cm) <b>113" (287cm)</b>	81" (206cm) <b>113" (287cm)</b>	81" (206cm) <b>113" (287cm)</b>	81" (206cm) <b>113" (287cm)</b>
<b>Dry Weight</b>	1,593lb (723kg) <b>1,928lb (875kg)</b>	1,922lb (872kg) <b>2,359lb (1,070kg)</b>	1,937lb (878kg) <b>2,371lb (1,076kg)</b>	1,607lb (729kg) <b>1,942lb (881kg)</b>	1,684lb (764kg) <b>1,932lb (876kg)</b>	1,955lb (887kg) <b>2,405lb (1,091kg)</b>	1,775lb (805kg) <b>2,135lb (969kg)</b>
<b>Overall Vehicle Size (L x W x H)</b>	120 x 62.5 x 77" (305 x 158 x 196cm) <b>152 x 62.5 x 77" (386 x 158 x 196cm)</b>	120 x 65 x 78" (305 x 165 x 198cm) <b>152 x 65 x 78" (386 x 165 x 198cm)</b>	120 x 65 x 79.5" (305 x 165 x 202cm) <b>152 x 65 x 79.5" (386 x 165 x 202cm)</b>	120 x 62.5 x 78" (305 x 158 x 198cm) <b>152 x 62.5 x 78" (386 x 158 x 198cm)</b>	120 x 62.5 x 79.5" (305 x 158 x 202cm) <b>152 x 62.5 x 79.5" (386 x 158 x 202cm)</b>	120 x 65 x 79.5" (309 x 165 x 198cm) <b>152 x 65 x 79.5" (386 x 165 x 198cm)</b>	122 x 65 x 78" (309 x 165 x 198cm) <b>152 x 65 x 78" (386 x 165 x 198cm)</b>
<b>Ground Clearance</b>	13" (33cm)	13" (33cm)	14" (35.5cm) <b>13" (33cm)</b>	14" (35.5cm)	14" (35.5cm)	14" (35.5cm) <b>13" (33cm)</b>	15" (38.1cm)
<b>Seating Capacity</b>	3 / 6	3 / 6	3 / 6	3 / 6	3 / 6	3 / 6	3 / 6
<b>Fuel Capacity</b>	11.5gal (43.5L)	11.5gal (43.5L)	11.5gal (43.5L)	11.5gal (43.5L)	11.5gal (43.5L)	11.5gal (43.5L)	11.5gal (43.5L)
<b>Bed Box Dimensions (L x W x H)</b>	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)	36.75 x 54.2 x 12.5" (93.3 x 137.8 x 31.8cm)
<b>Box Capacity</b>	1,000lb (453kg)	1,000lb (453kg)	1,000lb (453kg)	1,000lb (453kg)	1,000lb (453kg)	1,000lb (453kg)	1,000lb (453kg)
<b>Payload Capacity</b>	1,920lb (871kg) <b>1,730lb (785kg)</b>	1,590lb (721kg) <b>1,300lb (590kg)</b>	1,575lb (714kg) <b>1,290lb (585kg)</b>	1,920lb (871kg) <b>1,730lb (785kg)</b>	1,980lb (898kg) <b>1,730lb (785kg)</b>	1,560lb (708kg) <b>1,250lb (567kg)</b>	1,880lb (858kg) <b>1,520lb (689kg)</b>
<b>Hitch Towing Rating</b>	2,500lb (1,133.9kg)	2,500lb (1,133.9kg)	2,500lb (1,133.9kg)	2,500lb (1,133.9kg)	2,500lb (1,133.9kg)	2,500lb (1,133.9kg)	2,500lb (1,133.9kg)
<b>Electronic Power Steering</b>	Standard	Standard	Standard	Standard	Standard	Standard	Standard
<b>Adjustable Driver's Seat</b>	Standard	Standard	Standard	Standard	Standard	Standard	Standard
<b>Tilt Steering</b>	Standard	Standard	Standard	Standard	Standard	Standard	Standard
<b>Packages</b>			MB Quart® Audio Package				
<b>Color</b>	Matte Navy, Ghost White, Burgundy Metallic, Polaris Pursuit Camo*	Matte Navy, Ghost White, Burgundy Metallic, Polaris Pursuit Camo*	Matte Navy, Ghost White, Burgundy Metallic, Polaris Pursuit Camo*	Ghost White	Black Pearl	Ghost White	Ghost Gray

RANGER RZR GENERAL SPORTSMAN YOUTH SPECIFICATIONS





# TRAIL

# XTREME PERFORMANCE

# WIDE OPEN

# SPECIAL EDITION



RZR 570 SPORT

RZR 570 PREMIUM

RZR 900

RZR 900 PREMIUM

RZR 900 FOX EDITION

RZR S 900

RZR S 900 PREMIUM

RZR S 1000

RZR RS1

RZR XP 1000 SPORT  
RZR XP 4 1000 SPORT

RZR XP 1000 PREMIUM  
RZR XP 4 1000 PREMIUM

RZR XP TURBO  
RZR XP 4 TURBO

RZR PRO XP SPORT  
RZR PRO XP 4 SPORT

RZR PRO XP PREMIUM  
RZR PRO XP 4 PREMIUM

RZR PRO XP ULTIMATE  
RZR PRO XP 4 ULTIMATE

RZR TURBO S VELOCITY  
RZR TURBO S 4 VELOCITY

RZR TURBO S  
RZR TURBO S 4

RZR XP 1000  
TRAILS & ROCKS

RZR XP 1000 HIGH LIFTER  
RZR XP 4 1000 HIGH LIFTER

	RZR 570 SPORT	RZR 570 PREMIUM	RZR 900	RZR 900 PREMIUM	RZR 900 FOX EDITION	RZR S 900	RZR S 900 PREMIUM	RZR S 1000	RZR RS1	RZR XP 1000 SPORT RZR XP 4 1000 SPORT	RZR XP 1000 PREMIUM RZR XP 4 1000 PREMIUM	RZR XP TURBO RZR XP 4 TURBO	RZR PRO XP SPORT RZR PRO XP 4 SPORT	RZR PRO XP PREMIUM RZR PRO XP 4 PREMIUM	RZR PRO XP ULTIMATE RZR PRO XP 4 ULTIMATE	RZR TURBO S VELOCITY RZR TURBO S 4 VELOCITY	RZR TURBO S RZR TURBO S 4	RZR XP 1000 TRAILS & ROCKS	RZR XP 1000 HIGH LIFTER RZR XP 4 1000 HIGH LIFTER	
<b>Engine Type</b>	4-Stroke DOHC Single-Cylinder	4-Stroke DOHC Single-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder Turbocharged	4-Stroke DOHC Twin-Cylinder Turbocharged	4-Stroke DOHC Twin-Cylinder Turbocharged	4-Stroke DOHC Twin-Cylinder Turbocharged	4-Stroke DOHC Twin-Cylinder Turbocharged	4-Stroke DOHC Twin-Cylinder Turbocharged	4-Stroke DOHC Twin-Cylinder	4-Stroke DOHC Twin-Cylinder	
<b>Horsepower</b>	45HP	45HP	75HP	75HP	75HP	75HP	75HP	100HP	110HP	110HP	110HP	168HP	181HP	181HP	181HP	168HP	168HP	110HP	110HP	
<b>Drive System</b>	True On-Demand AWD/2WD	True On-Demand AWD/2WD	True On-Demand AWD/2WD	High-Performance True On-Demand AWD/2WD	High-Performance True On-Demand AWD/2WD/ VersaTrac Turf Mode	True On-Demand AWD/2WD	High-Performance True On-Demand AWD/2WD	High-Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD	High-Performance True On-Demand AWD/2WD	High-Performance True On-Demand AWD/2WD	High-Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD	Xtreme Performance True On-Demand Close Ratio AWD/2WD with Enhanced Low Gear Throttle Driveability	Xtreme Performance True On-Demand Close Ratio AWD/2WD	
<b>Engine Braking System</b>	Not Equipped	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped	Not Equipped	
<b>Front Suspension</b>	Dual A-Arm with Stabilizer Bar & 9" (22.9cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 9" (22.9cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 10" (25.4cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 10" (25.4cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 10" (25.4cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 12.25" (31.1cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 12.25" (31.1cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 12.25" (31.1cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 21" (53.4cm) Usable Travel** 16" (40.6cm) of Wheel Travel	Dual A-Arm with Stabilizer Bar & 21" (53.4cm) Usable Travel** 16" (40.6cm) of Wheel Travel	Dual A-Arm with Stabilizer Bar & 20" (50.8cm) Usable Travel** 16" (40.6cm) of Wheel Travel	Dual A-Arm with Stabilizer Bar & 20" (50.8cm) Usable Travel** 16" (40.6cm) of Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar & 20" (50.8cm) Usable Travel** 17" (43.2cm) Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar & 20" (50.8cm) Usable Travel** 17" (43.2cm) Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar & 20" (50.8cm) Usable Travel** 17" (43.2cm) Wheel Travel	Dual A-Arm with Stabilizer Bar & 25" (63.5cm) Usable Travel** 19" (48.2cm) of Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar & 25" (63.5cm) Usable Travel** 19" (48.2cm) Wheel Travel	High-Clearance Lower Control Arms, Dual A-Arm & 20.5" (52.1cm) Usable Travel** 16" (40.6cm) Wheel Travel	High-Clearance Lower Control Arms, Dual A-Arm with Stabilizer Bar & 20.5" (52.1cm) Usable Travel** 16" (40.6cm) Wheel Travel	
<b>Front Shocks</b>	ZF Twin Tube	ZF Twin Tube	ZF Twin Tube	ZF Twin Tube	FOX® 2.0 Podium X (External Reservoir Shock with 24-Position Adjustable Clickers)	FOX® 2.0 PODIUM	2" Walker Evans Needle with 16-Position Adjustable Clickers	2" Walker Evans Needle with 16-Position Adjustable Clickers	2" Walker Evans Needle with 16-Position Adjustable Clickers	2" Walker Evans Needle with 16-Position Adjustable Clickers	2" Walker Evans Needle with 16-Position Adjustable Clickers	2" Walker Evans Needle with 16-Position Adjustable Clickers	2" Walker Evans Needle with 16-Position Adjustable Clickers	2" Walker Evans Needle with 16-Position Adjustable Clickers	FOX® 2.5 Podium Shocks with Live Valve (Electronically Controlled Damping)	Walker Evans 2.5" Velocity Needle Shock with 16-Position Adjustable Clickers	FOX® 2.5 Podium Internal Bypass Shocks with Live Valve (Electronically Controlled Damping)	2" Walker Evans Needle with 16-Position Adjustable Clickers	2" Walker Evans with 16-Position Adjustable Clickers	
<b>Rear Suspension</b>	Dual A-Arm with Stabilizer Bar 9.5" (24cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 9.5" (24cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 10" (25.4cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 10" (25.4cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 10" (25.4cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 13.2" (33.5cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 13.2" (33.5cm) Wheel Travel	Dual A-Arm with Stabilizer Bar 13.2" (33.5cm) Wheel Travel	Trailing Arm with Stabilizer Bar & 21" (53.3cm) Usable Travel** 18" (45.7cm) Wheel Travel	Trailing Arm with Stabilizer Bar & 21" (53.3cm) Usable Travel** 18" (45.7cm) Wheel Travel	Trailing Arm with Stabilizer Bar & 20" (50.8cm) Usable Travel** 18" (45.7cm) Wheel Travel	Trailing Arm with Stabilizer Bar & 20" (50.8cm) Usable Travel** 18" (45.7cm) Wheel Travel	Trailing Arm & High-Clearance Radius Rods with Stabilizer Bar & 22" (55.9cm) Usable Travel** 20" (50.8cm) Wheel Travel	Trailing Arm & High-Clearance Radius Rods with Stabilizer Bar & 22" (55.9cm) Usable Travel** 20" (50.8cm) Wheel Travel	Trailing Arm & High-Clearance Radius Rods with Stabilizer Bar & 22" (55.9cm) Usable Travel** 20" (50.8cm) Wheel Travel	Trailing Arm & High-Clearance Radius Rods with Stabilizer Bar & 25" (63.5cm) Usable Travel** 21" (53.3cm) of Wheel Travel	Trailing Arm & High-Clearance Radius Rods with Stabilizer Bar, 25" (63.5cm) Usable Travel** 21" (53.3cm) Travel	High-Clearance Radius Rods, Trailing Arm with Stabilizer Bar & 20.5" (52.1cm) Usable Travel** 18" (45.7cm) Wheel Travel	High-Clearance Radius Rods, Trailing Arm with Stabilizer Bar & 20.5" (52.1cm) Usable Travel** 18" (45.7cm) Wheel Travel	
<b>Rear Shocks</b>	ZF Twin Tube	ZF Twin Tube	ZF Twin Tube	ZF Twin Tube	FOX® 2.0 Podium X (External Reservoir Shock with 24-Position Adjustable Clickers)	FOX® 2.0 PODIUM	2" Walker Evans Needle with 16-Position Adjustable Clickers	2" Walker Evans Needle with 16-Position Adjustable Clickers	2.5" Walker Evans Needle Shocks with 16-Position Adjustable Clickers	2.5" Walker Evans Needle with 16-Position Adjustable Clickers	2.5" Walker Evans Needle with 16-Position Adjustable Clickers	2.5" Walker Evans Needle with 16-Position Adjustable Clickers	2.5" Walker Evans Needle with 16-Position Adjustable Clickers	2.5" Walker Evans Needle with 16-Position Adjustable Clickers	FOX® 2.5 Podium Shocks with Live Valve (Electronically Controlled Damping)	Walker Evans 3.0" Velocity Needle Shock with 16-Position Adjustable Clickers	FOX® 3.0 Podium Internal Bypass Shocks with Live Valve (Electronically Controlled Damping)	2.5" Walker Evans Needle with 16-Position Adjustable Clickers	2.5" Walker Evans with 16-Position Adjustable Clickers	
<b>Front Tires</b>	25 x 8-12	25 x 8-12	26 x 8-12; PXT	26 x 8-12; PXT	26 x 8-12; PXT	27 x 9-12; GBC Dirt Commander	27 x 9-12; GBC Dirt Commander	27 x 9-12; GBC Dirt Commander	29 x 9-14; Radial	29 x 9-14; Radial	29 x 9-14; Radial	29 x 9-14; Radial	30 x 10-14 Maxis® Carnivore; Wheel Size 14x6	30 x 10-14 Maxis® Carnivore; Wheel Size 14x6	30 x 10-14 Maxis® Carnivore; (8-ply rated); Wheel Size 14x6	32 x 10-15; ITP® COYOTE® (8-Ply Rated)	32 x 10-15; ITP® COYOTE® (8-Ply Rated)	30 x 10-14; Pro Armor Crawler XG	29.5 x 9.5-14; High Lifter Outlaw II	
<b>Rear Tires</b>	25 x 10-12	25 x 10-12	26 x 9-12; PXT	26 x 9-12; PXT	26 x 9-12; PXT	27 x 11-12; GBC Dirt Commander	27 x 11-12; GBC Dirt Commander	27 x 11-12; GBC Dirt Commander	29 x 11-14; Radial	29 x 11-14; Radial	29 x 11-14; Radial	29 x 11-14; Radial	30 x 10-14 Maxis® Carnivore; Wheel Size 14x7	30 x 10-14 Maxis® Carnivore; (8-ply rated); Wheel Size 14x7	30 x 10-14 Maxis® Carnivore; (8-ply rated); Wheel Size 14x7	32 x 10-15; ITP® COYOTE® (8-Ply Rated)	32 x 10-15; ITP® COYOTE® (8-Ply Rated)	30 x 10-14; Pro Armor Crawler XG	29.5 x 11-14; High Lifter Outlaw II	
<b>Wheels</b>	Stamped Steel	Cast Aluminum	Stamped Steel	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum
<b>Wheelbase</b>	77" (196cm)	77" (196cm)	79" (200.7cm)	79" (200.7cm)	79" (200.7cm)	79" (200.7cm)	79" (200.7cm)	79" (200.7cm)	83" (210.8cm)	90" (228.6cm) 117" (297.2cm)	90" (228.6cm) 117" (297.2cm)	90" (228.6cm) 117" (297.2cm)	96" (243.8cm) 125" (317.5cm)	96" (243.8cm) 125" (317.5cm)	96" (244cm) 125" (317.5cm)	90" (228.6cm) 117" (297.2cm)	90" (228.6cm) 117" (297.2cm)	90" (228.6cm)	90" (228.6cm) 117" (297.2cm)	
<b>Dry Weight</b>	996lb (452kg)	1,077lb (489kg)	1,150lb (522kg)	1,176lb (533kg)	1,186lb (538kg)	1,204lb (546kg)	1,230lb (558kg)	1,255lb (560kg)	1,383lb (627kg)	1,460lb (662kg) 1,671lb (758kg)	1,460lb (662kg) 1,671lb (758kg)	1,528lb (693kg) 1,737lb (788kg)	1,759lb (798kg) 2,020lb (916kg)	1,759lb (798kg) 2,056lb (937kg)	1,759lb (798kg) 2,066lb (937kg)	1,795lb (814kg) 1,943lb (881kg)	1,795lb (814kg) 1,987lb (901kg)	1,573lb (715kg)	1,545lb (702kg) 1,752lb (783kg)	
<b>Overall Vehicle Size (L x W x H)</b>	107.5 x 50 x 69" (273 x 127 x 175.2cm)	107.5 x 50 x 69" (273 x 127 x 175.2cm)	107 x 50 x 69.5" (271.8 x 127 x 176.5cm)	107 x 50 x 69.5" (271.8 x 127 x 176.5cm)	107 x 50 x 69.5" (271.8 x 127 x 176.5cm)	108 x 60 x 72" (274.3 x 152.4 x 182.9cm)	108 x 60 x 72" (274.3 x 152.4 x 182.9cm)	108 x 60 x 72" (274.3 x 152.4 x 182.9cm)	112" x 64" x 73.75" (284.5 x 162.6 x 187.3cm)	119 x 64 x 73.7" (302.2 x 162.6 x 187.3cm) 146 x 64 x 73.7" (370.8 x 162.6 x 187.3cm)	119 x 64 x 73.7" (302.2 x 162.6 x 187.3cm) 146 x 64 x 73.7" (370.8 x 162.6 x 187.3cm)	119 x 64 x 73.7" (302.2 x 162.6 x 187.3cm) 146 x 64 x 73.7" (370.8 x 162.6 x 187.3cm)	126 x 64 x 71.7" (320.2 x 162.6 x 182.1cm) 155 x 64 x 73.6" (393.7 x 162.6 x 186.9cm)	126 x 64 x 71.7" (320.2 x 162.6 x 182.1cm) 155 x 64 x 73.6" (393.7 x 162.6 x 186.9cm)	126.1 x 64 x 71.7" (320.9 x 162.6 x 190.5cm) 149" x 72" x 76" (378.5 x 182.8 x 193cm)	122" x 72" x 75" (309.9 x 182.8 x 190.5cm) 149" x 72" x 76" (378.5 x 182.8 x 193cm)	122" x 72" x 75" (309.9 x 182.8 x 190.5cm) 149" x 72" x 76" (378.5 x 182.8 x 193cm)	120 x 64 x 74.3" (304.8 x 162.6 x 188.6cm)	122 x 64 x 75.3" (309.9 x 162.6 x 190.5cm) 149 x 64 x 75.3" (378.4 x 162.6 x 191.1cm)	
<b>Ground Clearance</b>	10.5" (26.7cm)*	10.5" (26.7cm)*	11" (27.9cm)*	11" (27.9cm)*	11" (27.9cm)*	12.5" (31.8cm)	12.5" (31.8cm)	12.5" (31.8cm)	13" (33cm)	14" (35.6cm)	14" (35.6cm)	14" (35.6cm)	14.5" (36.8cm)	14.5" (36.8cm)	14.5" (36.8cm)	16" (40.6cm)	16" (40.6cm)	14.5" (36.8cm)	15" (38.1cm)	
<b>Fuel Capacity</b>	7.25gal (27.4L)	7.25gal (27.4L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)	12gal (45.4L) 13gal (49.2L)	12gal (45.4L) 13gal (49.2L)	12gal (45.4L) 13gal (49.2L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)	9.5gal (36.0L)	
<b>Bed Box Dimensions (L x W x H)</b>	20 x 40 x 9" (51 x 102 x 23cm)	20 x 40 x 9" (51 x 102 x 23cm)	20.7 x 37 x 7.9" (52.5 x 94 x 20cm)	20.7 x 37 x 7.9" (52.5 x 94 x 20cm)	20.7 x 37 x 7.9" (52.5 x 94 x 20cm)	20.7 x 37 x 7.9" (52.5 x 94 x 20cm)	20.7 x 37 x 7.9" (52.5 x 94 x 20cm)	20.7 x 37 x 7.9" (52.5 x 94 x 20cm)	20.5" x 23" x 4.1" (52 x 58 x 10.4 x 3cm)	28 x 22 x 7" (72 x 57 x 17.8cm)	28 x 22 x 7" (72 x 57 x 17.8cm)	28 x 22 x 7" (72 x 57 x 17.8cm)	26 x 17.7 x 11.5" (66 x 45 x 29.2cm)	26 x 17.7 x 11.5" (66 x 45 x 29.2cm)	26 x 17.7 x 11.5" (66 x 45 x 29.2cm)	28 x 22 x 7" (72 x 57 x 17.8cm)	28 x 22 x 7" (72 x 57 x 17.8cm)	28 x 22 x 7" (72 x 57 x 17.8cm)	28 x 22 x 7" (72 x 57 x 17.8cm)	
<b>Rear Rack Capacity</b>	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	500lb (22.7kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)	300lb (136.1kg)
<b>Payload Capacity</b>	740lb (335.6kg)	740lb (335.6kg)	740lb (335.6kg)	740lb (335.6kg)	740lb (335.6kg)	740lb (335.6kg)	740lb (335.6kg)	740lb (335.6kg)	300lb (136.1kg)	740lb (335.6kg) 900lb (408kg)	740lb (335.6kg) 900lb (408kg)	740lb (335.6kg) 900lb (408kg)	740lb (335.6kg) 900lb (408kg)	740lb (335.6kg) 900lb (408kg)	740lb (335.6kg) 900lb (408kg)	740lb (335.6kg) 900lb (408kg)	740lb (335.6kg) 900lb (408kg)	740lb (335.6kg)	740lb (335.6kg) 900lb (408kg)	
<b>Lighting</b>	Halogen, 50W	Halogen, 55W Low/60W High	Halogen, 55W Low/60W High & Red LED Tail/Brake Lights	Halogen, 55W Low/60W High & Red LED Tail/Brake Lights	White LED Low/High w/ Accent Lights & Red LED Tail/Brake Lights	Halogen, 55W Low/60W High & Red LED Tail/Brake Lights	Halogen, 55W Low/60W High & Red LED Tail/Brake Lights	Halogen, 55W Low/60W High & Red LED Tail/Brake Lights	Signature Blacked Out White LED Low/High & Red LED Tail/Brake Lights	Signature Blacked Out White LED Low/High & Red LED Tail/Brake Lights	Signature Blacked Out White LED Low/High & Red LED Tail/Brake Lights	Signature Blacked Out White LED Low/High & Red LED Tail/Brake Lights	Signature White LED, Low/High & Red LED Tail/Brake Lights; Front, Rear & Interior Accent Lighting	Signature White LED, Low/High & Red LED Tail/Brake Lights; Front, Rear & Interior Accent Lighting	Signature White LED, Low/High & Red LED Tail/Brake Lights; Front, Rear & Interior Accent Lighting	Signature Blacked Out White LED Low/High w/ Accent Lights & Rear Red LED Tail/Brake Lights	Front Blacked Out White LED Low/High w/ Accent Lights & Rear Red LED Tail/Brake Lights	Front Blacked Out White LED Low/High w/ Accent Lights & Red LED Tail/Brake Lights	Front Blacked Out White LED Low/High w/ Accent Lights & Red LED Tail/Brake Lights	
<b>Color</b>	White Lightning	Cruiser Black	White	Black Pearl, Matte Nara Bronze	Stealth Gray	White	Burgundy Metallic, Turbo Silver	Turbo Silver	Indy Red, Stealth Black	White Lightning, Cruiser Black	Stealth Gray, Matte Navy Blue	Ghost Gray, Sands Metallic	Performance Red	Onyx Black	Matte Titanium Metallic	Radar Blue, Orange Madness	Onyx Black	Polaris Blue	Ghost Gray	

\*With adjustable suspension. See owner's manual for details. \*\* Usable Travel is measured, with the vehicle in full droop, from the bottom of the tire to the bottom of the skid plate.



# RECREATIONAL & UTILITY

# TOURING

# SPORT

# SPECIAL EDITION



ENGINE & DRIVETRAIN

SUSPENSION

TIRES & WHEELS

DIMENSIONS & CAPACITIES

	SPORTSMAN 450 H.O. SPORTSMAN 450 H.O. EPS	SPORTSMAN 570 SPORTSMAN 570 EPS	SPORTSMAN 570 PREMIUM	SPORTSMAN 570 HUNT EDITION	SPORTSMAN 850	SPORTSMAN 850 PREMIUM	SPORTSMAN XP 1000	SPORTSMAN XP 1000 HUNT EDITION	SPORTSMAN TOURING 570 SPORTSMAN TOURING 570 EPS
Engine Type	ProStar 499cc, 4-Stroke SOHC Single-Cylinder	ProStar 567cc, 4-Stroke DOHC Single-Cylinder	ProStar 567cc, 4-Stroke DOHC Single-Cylinder	ProStar 567cc, 4-Stroke DOHC Single-Cylinder	ProStar 850cc, 4-Stroke SOHC Twin-Cylinder	ProStar 850cc, 4-Stroke SOHC Twin-Cylinder	ProStar 952cc, 4-Stroke SOHC Single-Cylinder	ProStar 952cc, 4-Stroke SOHC Twin-Cylinder	ProStar 567cc, 4-Stroke DOHC Single-Cylinder
Horsepower	33HP	44HP	44HP	44HP	78HP	78HP	90HP	90HP	44HP
Drive System	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD
Engine Braking System/Active Descent Control	Not Equipped/Not Equipped	Not Equipped/Not Equipped Equipped/Not Equipped	Standard/Standard	Standard/Standard	Standard/Not Equipped	Standard/Standard	Standard/Standard	Standard/Standard	Not Equipped/Not Equipped Standard/Not Equipped
Front Suspension	Sealed MacPherson Strut, 8.2" (20.8cm) Travel	Sealed MacPherson Strut, 8.2" (20.8cm) Travel	Sealed MacPherson Strut, 8.2" (20.8cm) Travel	Sealed Dual A-Arm, IRS 8.2" (20.8cm) Travel	Straight Dual A-Arm, 9" (22.9cm) Travel	Straight Dual A-Arm, 9" (22.9cm) Travel	Straight Dual A-Arm 9" (22.9cm) Travel	Sealed Arched Dual A-Arm 9" (22.9cm) Travel	MacPherson Strut, 8.2" (20.8cm) Travel
Rear Suspension	Sealed Dual A-Arm, IRS 9.5" (24.1cm) Travel	Sealed Dual A-Arm, IRS 9.5" (24.1cm) Travel	Sealed Dual A-Arm, IRS 9.5" (24.1cm) Travel	Sealed Dual A-Arm, IRS 9.5" (24.1cm) Travel	Straight Dual A-Arm, Rolled IRS 10.25" (26cm) Travel	Straight Dual A-Arm, Rolled IRS 10.25" (26cm) Travel	Straight Dual A-Arm, Rolled IRS, 10.25" (26cm) Travel	Sealed Arched Dual A-Arm, Rolled IRS, 10.25" (26cm) Travel	Dual A-Arm, IRS 9.5" (24.1cm) Travel
Front Tires	25 x 8-12; P373; 6 Ply	25 x 8-12; P373; 6 Ply	25 x 8-12; P373; 6 Ply	26 x 8-14; PXT; 6 Ply Radial	26 x 8-14; CST	26 x 8-14; CST	26 x 8-14; CST	26 x 8 -14; PXT	25" x 8-12; 489
Rear Tires	25 x 10-12; P373; 6 Ply	25 x 8-12; P373; 6 Ply	25 x 10-12; P373; 6 Ply	26 x 11-14; PXT; 6 Ply Radial	26 x 10-14 CST	26 x 10-14; CST	26 x 10-14; CST	26 x 11-14; PXT	25" x 10-12; 489
Wheels	Steel	Steel	Aluminum Black Xcelerator	Aluminum	Stamped Steel	Aluminum	14" Aluminum	14" Aluminum	12" Steel
Wheelbase	50.5" (128.3cm)	50.5" (128.3cm)	50.5" (128.3cm)	50.5" (128.3cm)	53" (134.6cm)	53" (134.6cm)	53" (134.6cm)	53" (134.6cm)	56" (142.2cm)
Dry Weight	700lb (318kg) 721lb (327kg)	705lb (320kg) 753lb (342kg)	746lb (338kg)	866lb (393kg)	772lb (350kg)	785lb (357kg)	801lb (363kg)	886lb (402kg)	728lb (330kg) 739lb (336kg)
Overall Vehicle Size (L x W x H)	83 x 48 x 47" (210.8 x 121.9 x 119.4cm)	83 x 48 x 47" (210.8 x 121.9 x 119.4cm)	83 x 48 x 47" (210.8 x 121.9 x 119.4cm)	83 x 48 x 47" (210.8 x 121.9 x 119.4cm)	83.25 x 47.6 x 50.75" (211.4 x 120.9 x 128.9cm)	83.25 x 47.6 x 50.75" (211.4 x 120.9 x 128.9cm)	83.25 x 47.6 x 50.75" (211.4 x 120.9 x 128.9cm)	83.25 x 47.6 x 50.75" (211.4 x 120.9 x 128.9cm)	86 x 48 x 48" (218.4 x 121.9 x 121.9cm)
Ground Clearance	11.5" (29cm)	11.5" (29cm)	11.5" (29cm)	11.5" (29cm)	11.5" (29cm)	11.5" (29cm)	11.5" (29cm)	11.5" (29cm)	11" (27.9cm)
Seat Height	33.25" (84.5cm)	33.25" (84.5cm)	33.25" (84.5cm)	33.25" (85cm)	37" (94cm)	37" (94cm)	37" (94cm)	37" (94cm)	33.75" (85.7cm)
Fuel Capacity	4.5gal (17.0L)	4.5gal (17.0L)	4.5gal (17.0L)	4.5gal (17.0L)	5.25gal (19.9L)	5.25gal (19.9L)	5.25gal (19.9L)	5.25gal (19.9L)	6.75gal (26.3L)
Front/Rear Rack Capacity	90lb (40.8kg)/180lb (81.6kg)	90lb (40.8kg)/180lb (81.6kg)	90lb (40.8kg)/180lb (81.6kg)	90lb (40.8kg)/180lb (81.6kg)	120lb (55kg)/240lb (110kg)	120lb (55kg)/240lb (110kg)	120lb (55kg)/240lb (110kg)	120lb (55kg)/240lb (110kg)	90lb (40.8kg)/180lb (81.6kg)
Payload Capacity	485lb (220kg)	485lb (220kg)	485lb (220kg)	485lb (220kg)	575lb (261kg)	575lb (261kg)	575lb (261kg)	575lb (261kg)	485lb (220kg)
Hitch Towing Rating	1,350lb (612.3kg)	1,350lb (612.3kg)	1,350lb (612.3kg)	1,350lb (612.3kg)	1,500lb (680.4kg)	1,500lb (680.4kg)	1,500lb (680.4kg)	1,500lb (680.4kg)	1,225lb (555.7kg)
Standard Accessories & Features	Front Rack Extender, In-Pod Battery Charge Port <b>Front &amp; Rear Rack Extender, In-Pod Battery Charge Port</b>	Front Rack Extender, In-Pod Battery Charge Port <b>Front Trail Bumper, Front &amp; Rear Rack Extenders, In-Pod Battery Charge Port</b>	Front Trail Bumper, Front & Rear Rack Extenders, Painted Plastics, In-Pod Battery Charge Port	Hunt Accessories Standard Front & Rear Trail Bumper, Front & Rear Rack Extenders, 2,500lb Polaris Winch, Hand & Thumb Warmers, Gun Scabbard & Mount, Kolpin Ratchet Claws, In-Pod Battery Charge Port, Dipped Plastics	Four Rear Rack Extenders, In-Pod Battery Charge Port	Six Rear Rack Extenders, Painted Plastics, In-Pod Battery Charge Port	Six Rack Extenders, Painted Plastics, In-Pod Battery Charge Port	Hunt Accessories Standard LED Pod Light, In-Pod Battery Charge Port, Dipped Plastics, Front & Rear Bumper, Front & Rear Rack Extenders, 3,500lb Polaris Winch, Hand & Thumb Warmers, Gun Scabbard & Mount, Kolpin Ratchet Claws, In-Pod Battery Charge Port	N.A.
Packages	Utility Package	Utility Package	Trail Package	-	-	Trail Package	Trail Package	-	-
Color	Zenith Blue, Sagebrush Green	Zenith Blue, Sagebrush Green, Desert Sand, Indy Red, Polaris Pursuit Camo	Radar Blue, Titanium Metallic	Polaris Pursuit Camo	Sage Green, Fury Red	Orange Rust, Steely Blue, Polaris Pursuit Camo	Stealth Gray	Polaris Pursuit Camo	Sonic Blue Titanium Metallic

	SPORTSMAN TOURING 570 PREMIUM	SPORTSMAN TOURING 850	SPORTSMAN TOURING XP 1000	SPORTSMAN XP 1000 S	SCRAMBLER 850	SCRAMBLER XP 1000 S	SPORTSMAN 850 HIGH LIFTER	SPORTSMAN XP 1000 HIGH LIFTER	SPORTSMAN X2 570	SPORTSMAN 6X6 BIG BOSS
Engine Type	ProStar 567cc, 4-Stroke DOHC Single-Cylinder	ProStar 850cc, 4-Stroke SOHC Twin-Cylinder	ProStar 952cc, 4-Stroke SOHC Twin-Cylinder	ProStar 952cc, 4-Stroke SOHC Twin-Cylinder	ProStar 850cc, 4-Stroke SOHC Twin-Cylinder	ProStar 952cc, 4-Stroke SOHC Twin-Cylinder	ProStar 850cc, 4-Stroke SOHC Twin-Cylinder	ProStar 952cc, 4-Stroke SOHC Twin-Cylinder	ProStar 567cc, 4-Stroke SOHC Single-Cylinder	ProStar 567cc, 4-Stroke SOHC Single-Cylinder
Horsepower	44HP	78HP	88HP	89HP	78HP	89HP	78HP	85HP	44HP	44HP
Drive System	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	One Touch On-Demand AWD/2WD	High Performance True On-Demand AWD/2WD
Engine Braking System/Active Descent Control	Standard/Standard	Standard/Standard	Standard/Standard	Standard/Standard	Standard/Not Equipped	Not Equipped/Not Equipped	Not Equipped/Not Equipped	Standard/Not Equipped	Standard/Standard	Standard/Standard
Front Suspension	Straight Dual A-Arm, 8.2" (20.8cm) Travel	Straight Dual A-Arm, 9" (22.9cm) Travel	Straight Dual A-Arm, 9" (22.9cm) Travel	Sealed Arched Dual A-Arm, 11.6" (29.5cm) Travel	Straight Dual A-Arm, 9" (22.9cm) Travel	Sealed High Clearance Arched Dual A-Arm 12.5" (29.2cm) Travel	Sealed High-Clearance Arched Dual A-Arm, 7.4" (18.8cm) Travel	Sealed High-Clearance Arched Dual A-Arm, 7.4" (18.8cm) Travel	MacPherson Strut, 8.2" (20.8cm) Travel	MacPherson Strut, 8.2" (20.8cm) Travel
Rear Suspension	Dual A-Arm, IRS 9.5" (24.1cm) Travel	Straight Dual A-Arm, IRS, 10.25" (26cm) Travel	Straight Dual A-Arm, IRS, 10.25" (26cm) Travel	Sealed Straight Dual A-Arm, Rolled IRS, 14" (35.6cm) Travel	Straight Dual A-Arm, Rolled IRS, 10.25" (26cm) Travel	Sealed Straight Dual A-Arm, Rolled IRS, 14" (35.6cm) Travel	Sealed High-Clearance Arched Dual A-Arm, Rolled IRS, 6.7" (17cm) Travel	Sealed High-Clearance Arched Dual A-Arm, Rolled IRS, 6.7" (17cm) Travel	Dual A-Arm, IRS, 9.5" (24.1cm) Travel	Dual A-Arm, IRS, 9.5" (24.1cm) Travel
Front Tires	26 x 8-14; CST	26 x 8 -14; CST	26 x 9-14; PXT	27 x 9-14; Duro® PowerGrip V2	26 x 8-14; CST	27 x 9-12; Duro® PowerGrip II	30 x 9.5; Outlaw 2	30 x 9.5; Outlaw 2	25 x 8 -12; 489	26 x 8; PXT
Rear Tires	26 x 10-14; CST	26 x 10-14; CST	26 x 11-14; PXT	27 x 11-14; Duro® PowerGrip V2	26 x 10-14; CST	27 x 10-14; Duro® PowerGrip II	30 x 9.5; Outlaw 2	30 x 9.5; Outlaw 2	25 x 10-12; 489	26 x 10; PXT
Wheels	14" Cast Aluminum	14" Aluminum	14" Aluminum	14" Aluminum	14" Steel	12" Aluminum	14" Steel	14" Aluminum	12" Stamped Steel	12" Stamped Steel
Wheelbase	56" (142.2cm)	57" (144.8cm)	57" (144.8cm)	57.4" (145.8cm)	53" (134.6cm)	57.4" (144.3cm)	53" (134.6cm)	53" (134.6cm)	56" (142.2cm)	56" (142.2cm)
Dry Weight	773lb (351kg)	804lb (365kg)	886lb (403kg)	970lb (440kg)	735lb (333kg)	881lb (400kg)	921lb (417kg)	974lb (441kg)	788lb (358kg)	1,075lb (489kg)
Overall Vehicle Size (L x W x H)	86 x 48 x 48" (218.4 x 121.9 x 121.9cm)	84.3 x 48.2 x 48.4" (214 x 123 x 124cm)	84.3 x 48.2 x 48.8" (214 x 123 x 124cm)	83.25 x 55 x 49" (211 x 140 x 124.5cm)	82.3 x 48.6 x 48.4" (209 x 123 x 123cm)	82.5 x 55 x 49.5" (209.5 x 140 x 125.7cm)	84.6 x 50 x 50.4" (215 x 127 x 128cm)	88 x 50 x 50.4" (224 x 127 x 128cm)	89 x 48 x 48" (218.4 x 121.9 x 121.9cm)	116 x 48 x 4" (295 x 121.9 x 124.5cm)
Ground Clearance	11" (27.9cm)	11.25" (28.5cm)	11.25" (28.5cm)	14.5" (37cm)	11.5" (29cm)	14.5" (37cm)	13.5" (34.3cm)	13.5" (34.3cm)	11" (27.9cm)	11.5" (29cm)
Seat Height	34.25" (87cm)	35.75" (90.8cm)	35.75" (90.8cm)	37" (94cm)	35" (89cm)	37" (94cm)	39" (99cm)	39" (99cm)	33.75" (85.7cm)	37" (94cm)
Fuel Capacity	6.75gal (26.3L)	5.25gal (19.9L)	5.25gal (19.9L)	5.25gal (19.9L)	5.25gal (19.9L)	5.25gal (19.9L)	5.25gal (19.9L)	5.25gal (19.9L)	6.75gal (25.5L)	6.75gal (25.5L)
Front/Rear Rack Capacity	90lb (40.8kg)/180lb (81.6kg)	120lb (55kg)/240lb (110kg)	120lb (55kg)/240lb (110kg)	200lb (91kg)/300lb (136kg)	25lb (11.3kg)/50lb (22.7kg)	25lb (11.3kg)/50lb (22.7kg)	N.A./75lb (34kg)	N.A./75lb (34kg)	90lb (41kg)/400lb (180kg)	90lb (41kg)/800lb (363kg)
Payload Capacity	485lb (220kg)	575lb (261kg)	575lb (261kg)	715lb (324kg)	290lb (132kg)	290lb (132kg)	290lb (132kg)	290lb (132kg)	705lb (320kg)	1,115lb (507kg)
Hitch Towing Rating	1,225lb (555.7kg)	1,500lb (680.4kg)	1,500lb (680.4kg)	1,750lb (794kg)	1,500lb (680.4kg)	N.A.	1,500lb (680.4kg)	1,500lb (680.4kg)	1,225lb (555.7kg)	1,500lb (680.4kg)
Standard Accessories & Features	Painted Plastics	Painted Plastics	Painted Plastics	Front Bumper, Rear Bumper, 3,500LB Winch, Cut & Sew Seat, Painted Plastics, In Pod Battery Charge Port	N.A.	N.A.	Painted Plastics	Painted Plastics	N.A.	Bed Box
Packages	-	-	-	-	-	-	Trail Package	-	-	-
Color	Nara Bronze	Navy Blue	Pearl White	Orange Madness	Orange Burst	Gloss Black Pearl	Orange Rust, Steely Blue, Polaris Pursuit Camo	Ghost Gray	Sage Green	Sage Green

RANGER RZR GENERAL SPORTSMAN YOUTH SPECIFICATIONS POLARIS



## 2-SEAT & 4-SEAT



GENERAL 1000 SPORT



GENERAL 1000 PREMIUM  
GENERAL 41000 PREMIUM



GENERAL 1000 DELUXE  
GENERAL 41000 DELUXE



GENERAL XP 1000 DELUXE  
GENERAL XP 41000 DELUXE



GENERAL XP 1000 PURSUIT EDITION  
GENERAL XP 41000 PURSUIT EDITION

ENGINE & DRIVETRAIN

SUSPENSION

TIRES & WHEELS

DIMENSIONS & CAPACITIES

	GENERAL 1000 SPORT	GENERAL 1000 PREMIUM GENERAL 41000 PREMIUM	GENERAL 1000 DELUXE GENERAL 41000 DELUXE	GENERAL XP 1000 DELUXE GENERAL XP 41000 DELUXE	GENERAL XP 1000 PURSUIT EDITION GENERAL XP 41000 PURSUIT EDITION
<b>Engine Type</b>	ProStar 1000; 4-Stroke DOHC Twin-Cylinder	ProStar 1000; 4-Stroke DOHC Twin-Cylinder	ProStar 1000; 4-Stroke DOHC Twin-Cylinder	ProStar 1000; 4-Stroke DOHC Twin-Cylinder	ProStar 1000; 4-Stroke DOHC Twin-Cylinder
<b>Horsepower</b>	100HP	100HP	100HP	100HP	100HP
<b>Drive System</b>	On-Demand True AWD/2WD/ VersaTrac Turf Mode	On-Demand True AWD/2WD/ VersaTrac Turf Mode	On-Demand True AWD/2WD/ VersaTrac Turf Mode	On-Demand True AWD/2WD/ VersaTrac Turf Mode	On-Demand True AWD/2WD/ VersaTrac Turf Mode
<b>Front Suspension</b>	Dual A-Arm with Stabilizer Bar & 12.25" (31.1cm) Travel	Dual A-Arm with Stabilizer Bar & 12.25" (31.1cm) Travel	Dual A-Arm with Stabilizer Bar & 12.25" (31.1cm) Travel	Long Travel, High-Clearance Dual A-Arm with Stabilizer Bar, 14" (35.6cm) Travel	Long Travel, High-Clearance Dual A-Arm with Stabilizer Bar, 14" (35.6cm) Travel
<b>Front Shocks</b>	ZF Sachs® Twin Tube	ZF Sachs® Twin Tube <b>FOX® 2.0 PODIUM QS3</b>	FOX® 2.0 PODIUM X QS3	Walker Evans Velocity Series Shocks	Walker Evans Velocity Series Shocks
<b>Rear Suspension</b>	Dual Arm IRS with Stabilizer Bar & 13.2" (33.5cm) Travel	Dual Arm IRS with Stabilizer Bar & 13.2" (33.5cm) Travel	Dual Arm IRS with Stabilizer Bar & 13.2" (33.5cm) Travel	Long Travel, High-Clearance Dual Arm IRS with Stabilizer Bar, 14" (35.6cm) Travel	Long Travel, High-Clearance Dual Arm IRS with Stabilizer Bar, 14" (35.6cm) Travel
<b>Rear Shocks</b>	ZF Sachs® Twin Tube	ZF Sachs® Twin Tube <b>FOX® 2.0 PODIUM QS3</b>	FOX® 2.0 PODIUM X QS3	Walker Evans Velocity Series Shocks	Walker Evans Velocity Series Shocks
<b>Front Tires</b>	27 x 9-12 NHS; CST Clincher	27 x 9-14; Maxxis® Coronado <b>27 x 9-14; Dirt Commander</b>	27 x 9-14; Maxxis® Coronado <b>27 x 9-14; Dirt Commander</b>	30 x 10-15; Pro Armor Crawler XG	30 x 10-15; Pro Armor Crawler XG
<b>Rear Tires</b>	27 x 11-12 NHS; CST Clincher	27 x 11-14; Maxxis® Coronado <b>27 x 11-14; Dirt Commander</b>	27 x 11-14; Maxxis® Coronado <b>27 x 11-14; Dirt Commander</b>	30 x 10-15; Pro Armor Crawler XG	30 x 10-15; Pro Armor Crawler XG
<b>Wheels</b>	12" Aluminum	14" Aluminum	14" Aluminum	15" Cast Aluminum	15" Cast Aluminum
<b>Wheelbase</b>	81" (206cm)	81" (206cm) <b>113" (287cm)</b>	81" (206cm) <b>113" (287cm)</b>	83" (211cm) <b>115" (292cm)</b>	83" (211cm) <b>115" (292cm)</b>
<b>Dry Weight</b>	1,422lb (645kg)	1,491lb (676kg) <b>1,857lb (842kg)</b>	1,544lb (700kg) <b>1,860lb (842kg)</b>	1,712lb (776.5kg) <b>2,058lb (933.5kg)</b>	1,712lb (776.5kg) <b>2,058lb (933.5kg)</b>
<b>Overall Vehicle Size (L x W x H)</b>	116.4 x 62.5 x 73.8" (295.6 x 158.7 x 187cm)	118.2 x 62.5 x 73.8" (300 x 158.7 x 187cm) <b>150.2 x 62.5 x 75" (381.5 x 158.7 x 190.5cm)</b>	118.2 x 62.5 x 75" (300 x 158.7 x 190.5cm) <b>150.2 x 62.5 x 75" (381.5 x 158.7 x 190.5cm)</b>	118.2 x 64 x 75" (300 x 162.5 x 190.5cm) <b>150.2 x 77 x 64" (381.5 x 195.6 x 162.6cm)</b>	118.2 x 64 x 75" (300 x 162.5 x 190.5cm) <b>150.2 x 77 x 64" (381.5 x 195.6 x 162.6cm)</b>
<b>Ground Clearance</b>	12" (30.5cm)	12" (30.5cm)	12" (30.5cm)	13.5" (34.3cm)	13.5" (34.3cm)
<b>Fuel Capacity</b>	9.5gal (35.9L)	9.5gal (35.9L)	9.5gal (35.9L)	9.5gal (35.9L)	9.5gal (35.9L)
<b>Bed Box Dimensions (L x W x H)</b>	27.5 x 43.1 x 11.6" (69.8 x 109 x 29.5cm)	27.5 x 43.1 x 11.6" (69.8 x 109 x 29.5cm)	27.5 x 43.1 x 11.6" (69.8 x 109 x 29.5cm)	27.5 x 43.1 x 11.6" (69.8 x 109 x 29.5cm)	27.5 x 43.1 x 11.6" (69.8 x 109 x 29.5cm)
<b>Rear Rack Capacity</b>	600lb (272kg)	600lb (272kg)	600lb (272kg)	600lb (272kg)	600lb (272kg)
<b>Payload Capacity</b>	1,100lb (499kg)	1,100lb (499kg) <b>1,280lb (580kg)</b>	1,100lb (499kg) <b>1,280lb (580kg)</b>	1,100lb (499kg) <b>1,280lb (580kg)</b>	1,100lb (499kg) <b>1,280lb (580kg)</b>
<b>Electronic Power Steering</b>	Standard	Standard	Standard	High Output EPS	High Output EPS
<b>Other Features</b>		Polaris HD 4,500lb Winch, Sport Low-Profile Front Bumper	Stage 1 Rockford Fosgate® Audio, Polaris HD 4,500lb Winch, Sport Low- Profile Front Bumper, Poly Sport Roof, Convex Rearview Mirror	Stage 1 Rockford Fosgate® Audio, Polaris HD 4,500lb Winch, Sport Low- Profile Front Bumper, Poly Sport Roof, Convex Rearview Mirror	Stage 1 Rockford Fosgate® Audio, Polaris HD 4,500lb Winch, Sport Low-Profile Color-Matched Front Bumper, Poly Sport Roof, Convex Rearview Mirror, Pro Armor 11" Light Bar, Kolpin Gun Mount & Boot, NEW Rear Box Rack
<b>Packages</b>			RIDE COMMAND + Rockford Fosgate® Stage 4 Audio	RIDE COMMAND + Rockford Fosgate® Stage 4 Audio	
<b>Color</b>	Ghost Gray	Titanium Metallic	Burgundy Metallic, White Lightning <b>Burgundy Metallic</b>	Super Graphite, Matte Military Tan	Stealth Black

ENGINE

DRIVETRAIN & SUSPENSION

TIRES & WHEELS

DIMENSIONS & CAPACITIES

## YOUTH



OUTLAW 70 EFI



OUTLAW 110 EFI



SPORTSMAN 110 EFI



PHOENIX 200



RZR 170 EFI



ACE 150 EFI



RANGER 150 EFI

	OUTLAW 70 EFI	OUTLAW 110 EFI	SPORTSMAN 110 EFI	PHOENIX 200	RZR 170 EFI	ACE 150 EFI	RANGER 150 EFI
<b>Age</b>	6+	10+	10+	14+	10+	10+	10+
<b>Engine Type</b>	70cc, 4-Stroke Single-Cylinder	112cc, 4-Stroke Single-Cylinder	112cc, 4-Stroke Single-Cylinder	196cc, 4-Stroke Single-Cylinder	169cc, 4-Stroke Single-Cylinder	149cc, 4-Stroke Single-Cylinder	150cc, 4-Stroke, Single-Cylinder
<b>Fuel System</b>	EFI	EFI	EFI	Carbureted	EFI	EFI	EFI
<b>Cooling</b>	Air	Air	Air	Air	Fan	Air/Oil	Air/Oil
<b>Transmission/Final Drive</b>	Automatic, Forward only, CVT	Automatic PVT F/N/R; 0-Ring Chain	Automatic PVT F/N/R; 0-Ring Chain	Automatic PVT F/N/R; Shaft	Automatic PVT F/N/R; 0-Ring Chain	Automatic PVT F/N/R; Chain	Automatic PVT F/N/R; Chain
<b>Drive System</b>	2WD, Chain	2WD	2WD	2WD	2WD	2WD	2WD
<b>Front Suspension</b>	Single A-Arm with 4" (10.2cm) Travel	Single A-Arm with 5" (12.7cm) Travel	Single A-Arm with 5" (12.7cm) Travel	Dual A-Arm with 7" (17.8cm) Travel	Single A-Arm with 5" (12.7cm) Travel	Single A-Arm with 5" (12.7cm) Travel	Single A-Arm with 5.1" (13cm) Travel
<b>Rear Suspension</b>	Mono-Shock Swingarm with 4" (10.2cm) Travel	Mono-Shock Swingarm with 6" (15.2cm) Travel	Mono-Shock Swingarm with 6" (15.2cm) Travel	Mono-Shock Swingarm with 6.5" (16.5cm) Travel	Dual-Shock Swingarm with 5" (12.7cm) Travel	Dual-Shock Swingarm with 5" (12.7cm) Travel	Dual-Shock Swingarm with 6" (15.2cm) Travel
<b>Front Tires</b>	18 x 7-8; Obor	19 x 7-8; Duro®	19 x 7-8; Duro®	21 x 7-10; Duro®	19 x 7-8; Duro®	22 x 7-10; Wanda	22 x 7-10; Wanda
<b>Rear Tires</b>	18 x 8-8; Obor	18 x 9.5-8; Duro®	18 x 9.5-8; Duro®	20 x 10-9; Duro®	20 x 10-9; Duro®	22 x 10-10; Wanda	22 x 10-10; Wanda
<b>Wheels</b>	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel	Stamped Steel
<b>Wheelbase</b>	37.75" (95.9cm)	41.5" (105.4cm)	41.5" (105.4cm)	45" (114.3cm)	65" (165.1cm)	65" (165.1cm)	65" (165.1cm)
<b>Dry Weight</b>	278lb (126kg)	278lb (126kg)	289lb (131kg)	420lb (191kg)	532lb (241kg)	556lb (252kg)	673lb (305kg)
<b>Overall Vehicle Size (L x W x H)</b>	56 x 35.5 x 35.25" (142.2 x 90.2 x 89.5cm)	61.3 x 36.8 x 38.5" (155.6 x 93.3 x 97.8cm)	61.8 x 36.8 x 38.5" (156.8 x 93.3 x 97.8cm)	65 x 42 x 42" (165.1 x 106.7 x 106.7cm)	85 x 48 x 55" (215.9 x 121.9 x 139.7cm)	85 x 48 x 58" (215.9 x 121.9 x 147.3cm)	85 x 48 x 58" (215.9 x 121.9 x 147.3cm)
<b>Ground Clearance</b>	4" (10.2cm)	4" (10.2cm)	4" (10.2cm)	5.7" (14.5cm)	6" (15.2cm)	9" (22.9cm)	8" (20.3cm)
<b>Seat Height</b>	25.75" (65.4cm)	27" (68.6cm)	27" (68.6cm)	32" (81.3cm)	N.A.	N.A.	N.A.
<b>Fuel Capacity</b>	1.5gal (5.8L)	1.6gal (5.9L)	2.9gal (11L)	2.5gal (9.5L)	2.5gal (9.5L)	2.5gal (9.5L)	2.5gal (9.5L)
<b>Rear Box Dimensions (L x W x H)</b>	N.A.	N.A.	N.A.	N.A.	N.A.	17 x 32 x 3" (43.2 x 81.3 x 7.6cm)	21 x 42 x 5" (53.3 x 106.7 x 12.7cm)
<b>Front/Rear Rack or Box Capacity</b>	N.A./25lb (11.3kg)	N.A.	15lb/30lb (6.8kg/13.6kg)	N.A.	N.A.	N.A./50lb (22.7kg)	N.A./50lb (22.7kg)
<b>Payload Capacity</b>	140lb (63.5kg)	180lb (82kg)	225lb (102kg)	215lb (97.5kg)	300lb (136kg)	230lb (104.3kg)	375lb (170kg)
<b>Color</b>	White/Red, White/Pink	Avalanche Gray/Pink Power, Avalanche Gray/Lime Squeeze	Velocity Blue	Avalanche Gray	Lime Squeeze/Cruiser Black, Bright White/Indy Red	White Lightning/Sky Blue	White Lightning/Sky Blue, Sage Green

RANGER RZR GENERAL SPORTSMAN YOUTH SPECIFICATIONS



# POLARIS

Think Outside

WARNING: Polaris off-road vehicles can be hazardous to operate and are not intended for on-road use. Driver must be at least 16 years old with a valid driver's license to operate. ALL riders should always wear helmets, eye protection and protective clothing. Always use seat belts and cab nets or doors (as equipped). Never engage in stunt driving, and avoid excessive speeds and sharp turns. Riding and alcohol/drugs don't mix. All riders should take a safety training course. Call 800-342-3764 for additional information. Check local laws before riding on trails. ©2020 Polaris Industries Inc. Youth models have special age restrictions. The Polaris Outlaw 70 EFI is intended for operators ages 6 and older. The Polaris Outlaw 110 EFI, Sportsman 110 EFI, RZR 170 EFI, ACE 170 EFI and Ranger 150 EFI are intended for operators ages 10 and older. The Polaris Phoenix 200 is intended for operators ages 14 and older. All Polaris youth vehicles require adult supervision at all times for operators under age 16. Unless noted, trademarks are the property of Polaris Industries Inc. Bluetooth® is a registered trademark of Bluetooth Sig. Inc. Rockford Fosgate® is a registered trademark of Rockford Corporation. Maxxis® is a registered trademark of Cheng Shin Rubber Ind. Co., Ltd. M8 Quart® is a registered trademark of Maxxsonics USA Inc. Duro® is a registered trademark of HWA Fong Rubber (USA) Inc. DBA Duro Tire & Wheel Corp. Carhartt® is a registered trademark of Carhartt, Inc. Sachs® is a registered trademark of ZF Sachs AG Corporation. FOX® is a registered trademark of Fox Factory Inc. Rigid® is a trademark of JST Performance, LLC d/b/a Rigid Industries, LLC. Kolpin® is a registered trademark of Polaris Industries Inc. MACPERSON is a trademark of Aftermarket Auto Parts Alliance, Inc. Google Play® is a registered trademark of Google LLC. App Store® is a registered trademark of Apple Inc. Rhino Grip® is a registered trademark of Polaris Industries Inc. ITP® and COYOTE® are registered trademarks of The Carlstar Group LLC.

PART NO. 9948074